12/5/1 (Item 1 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2008 JPO & JAPIO: All rts. reserv.

05907764 **Image available**
COMMUNICATION SYSTEM, COMMUNICATION EQUIPMENT AND COMMUNICATION TERMINAL EQUIPMENT

PUB. NO.: 10-190864 [JP 10190864 A]
PUBLISHED: July 21, 1998 (19980721)
INVENTOR(s): ARAI HIDESATO
APPLICANT(s): CASIO COMPUT CO LTD [350750] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 08-348134 [JP 96348134]
FILED: December 26, 1996 (19961226)
INTL CLASS: [6] H04M-011/00; G06F-013/00; H04L-012/54; H04L-012/58
JAPIO CLASS: 44.4 (COMMUNICATION -- Telephone); 44.3 (COMMUNICATION -- Telegraphy); 45.2 (INFORMATION PROCESSING -- Memory Units)
JAPIO KEYWORD: R011 (LIQUID CRYSTALS); R130 (ELECTRIC COMMUNICATIONS -- Pocket Bell Paging Devices)

ABSTRACT

PROBLEM TO BE SOLVED: To provide a communication system, communication equipment and communication terminal equipment, in which a required part and an unrequired part in an electronic mail are divided automatically, so as to reduce an information amount to be stored.

SOLUTION: Upon receipt of an electronic mail from a server 1, an electronic mail receiver 8 sends an electronic mail to an electronic mail divider 9. The electronic mail divider 9 retrieves division symbols ' ' from the head of an electronic mail, based on a content of an electronic mail division setting part 16, copies a sentence of a retrieved line to a division buffer position, when the division symbol exists, and deletes the sentence of the retrieved line of a reception mail buffer 18. As a result, only the sentence, without being added with the division symbols as mentioned above remains and only the sentence added with the division symbols, are stored in a division buffer 19. Then electronic mail management information ,' supplementary' information or the like are added to the sentence in the division buffer 19, so as to allow discrimination of being as divided electronic mails.

12/5,K/2 (Item 1 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0016069182 - Drawing available
WPI ACC NO: 2006-600813/200662
XRPX Acc No: N2006-483999
Emotive content embedment method for textual communication in computer application, involves mapping numerical parameter set to face glyph configuration rendering emotive state and associated intensities
Patent Assignee: FRICLOFF W (FRCL-I)
Inventor: FRICLOFF W
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
US 7089504 B1 20060808 US 2000563624 A 20000502 200662 B

Priority Applications (no., kind, date): US 2000563624 A 20000502

Patent Details
Number Kind Lan Pg Dwg Filing Notes
US 7089504 B1 EN 28 12

Alerting Abstract US B1
NOVELTY - A text displayed by a computer application is selected. An emotive state and emotive intensity residing in a computer memory associated with the application are selected. A face glyph representative of the selected emotive state is mapped with the associated emotive intensity and set of numerical parameters are mapped for rendering face glyph. The numerical parameter set is mapped to face glyph configuration

rendering emotive **state** and associated intensities.
DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

1. system for embedding emotive content;

2. method for decoding textual emotive content; and

3. method for placing face glyphs.

4. a computer program

USE - For textual communication in computer application such as word processor, **electronic mail** (**email**), web publishing, web television (TV), personal digital assistant (PDA), and cell phone.
ADVANTAGE - The written communication is improved efficiently.
DESCRIPTION OF DRAWINGS - The figure illustrates sample text with the embedded emotive content.

Title Terms/Index Terms/Additional Words: CONTENT; EMBED; METHOD; TEXT; COMMUNICATE; COMPUTER; APPLY; MAP; NUMERIC; PARAMETER; SET; FACE; CONFIGURATION; RENDER; **STATE**; ASSOCIATE; INTENSITY

Class Codes
International Classification (+ Attributes)
IPC + Level Value Position Status Version
G06F-0015/00 A I F B 20060101
G06F-0015/00 C I F B 20060101
US Classification, Issued: 715839, 715764

File Segment: EPI;
DWPI Class: T01
Manual Codes (EPI/S-X): T01-J10C2; T01-J11A1; T01-J16C3; T01-N01C; T01-S03

...communication in computer application, involves mapping numerical parameter set to face glyph configuration rendering emotive state and associated intensities

Alerting Abstract ...NOVELTY - A text displayed by a computer application is selected. An emotive **state** and emotive intensity residing in a computer memory associated with the application are selected. A face glyph representative of the selected emotive **state** is mapped with the associated emotive intensity and set of numerical parameters are mapped for rendering face glyph. The numerical parameter set is mapped to face glyph configuration rendering emotive **state** and associated intensities.....USE - For textual communication in computer application such as word processor, **electronic mail** (**email**), web publishing, web television (TV), personal digital assistant (PDA), and cell phone...

Title Terms.../Index Terms/Additional Words: **STATE**;

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...content in written communication. The emotive content serves many needs not currently addressed in written **word** computer applications and text generation aids such as **word** processors, web publishers, **email**, file archives, faxes, cell phones, PDAs **other** applications. **Adding** emotive **content** to messages **adds** information, which can help to interpret and amplify the text message, improve the message integrity...

...with one another via modern communication technologies. Aspects of the invention provide ways for the **sender** or author to add emotional content, which can capture, maintain, and focusses a **receiver**'s interest. Current expression of emotive content and emotive intensity in written word are rarely...
Claims:
...in a computer application comprising: selecting text displayed by the computer application; selecting an emotive **state** from a plurality of

emotive states residing in a computer memory associated with said computer ...

...associated with said computer application; mapping to a face glyph representative of the selected emotive **state** and associated emotive intensity, from a plurality of face glyphs residing in a computer memory...

...and mapping a set of numerical parameters for rendering face glyph mapped from selected emotive **state** and selected associated emotive intensity, whereby a set of representative numerical values map the numerical parameter set to face glyph configuration rendering emotive **state** and associated intensities to face glyphs in the computer application selected text. Basic Derwent Week: 200662

12/5,K/3 (Item 2 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0015400890 - Drawing available
WPI ACC NO: 2005-746287/200576
Related WPI Acc No: 2002-674196; 2006-401903
XRPX Acc No: N2005-615491
Object e.g. email , transmission facilitating method for use in e.g. internet, involves charging payment from sender party, at, before, or after time of transmission of sender `s communication to receiver party`s account
Patent Assignee: JENSEN J (JENS-I)
Inventor: JENSEN J
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
US 20050240432 A1 20051027 US 2001776498 A 20010205 200576 B
US 2005136888 A 20050526

Priority Applications (no., kind, date): US 2001776498 A 20010205; US 2005136888 A 20050526

Patent Details
Number Kind Lan Pg Dwg Filing Notes
US 20050240432 A1 EN 26 2 C-I-P of application US 2001776498

Alerting Abstract US A1
NOVELTY - The method involves establishing and organizing network or internet-based merchant intermediaries, **email** gateways, message centers, e-commerce sites, or combinations. **Sender** or caller parties are enabled to input terms or information into a website, computer, or other database. A payment from a **sender** party is charged, at, before, or after the time of transmission of **sender** `s communication to **receiver** party`s account.
USE - Used for facilitating transmission of an object e.g. **email** , electronic text, and digitized or digital communication, in a network e.g. internet.
ADVANTAGE - The method enables the **receiver** party, utilizing a network, to charge a fee or cost to a caller party for the right to transmit or to direct communication or information to the account or address of the **receiver** party in an effective manner.
DESCRIPTION OF DRAWINGS - The drawing shows a high-level architectural view of primary components of a system
101 Caller party
103 Network
105 Merchant intermediary
107 **Receiver** party

Title Terms/Index Terms/Additional Words: OBJECT; TRANSMISSION; FACILITATE; METHOD; CHARGE; PAY; SEND; PARTY; AFTER; TIME; COMMUNICATE; RECEIVE; ACCOUNT

Class Codes
International Classification (+ Attributes)
IPC + Level Value Position Status Version
G06Q-0030/00 A I R 20060101
G06Q-0030/00 C I R 20060101

US Classification, Issued: 70526, 7051

File Segment: EPI;
DWPI Class: T01
Manual Codes (EPI/S-X): T01-N01A2A

Object e.g. email , transmission facilitating method for use in e.g. internet, involves charging payment from sender party, at, before, or after time of transmission of sender 's communication to receiver party's account
Original Titles:
...organize, to facilitate, and to transact communications for a fee or cost born by a **sender** party (also known as a caller party) utilizing a network such as the internet

Alerting Abstract ...NOVELTY - The method involves establishing and organizing network or internet-based merchant intermediaries, **email** gateways, message centers, e-commerce sites, or combinations. **Sender** or caller parties are enabled to input terms or information into a website, computer, or other database. A payment from a **sender** party is charged, at, before, or after the time of transmission of **sender** 's communication to **receiver** party's account.USE - Used for facilitating transmission of an object e.g. **email** , electronic text, and digitized or digital communication, in a network e.g. internet...

...ADVANTAGE - The method enables the **receiver** party, utilizing a network, to charge a fee or cost to a caller party for...

...to transmit or to direct communication or information to the account or address of the **receiver** party in an effective manner...

...107 **Receiver** party

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...organizing, and facilitating the transmission of communication for a fee or cost born by a **Sender** Party (also known **as** a Caller Party) over a network such as the Internet.
Claims:
...method for using a computer to enable or to facilitate the sending or transmission of **email** , electronic text, digitized, **or** digital communication in which the **Sender** Party or Parties (**also** known as Caller party or Parties), at, before, or after the time of sending or...

...communication, pays a fee, bears a cost, or provides consideration which benefits in part the **receiving party** , comprising:i. **utilizing** a network presence;ii. establishing and organizing one or more network or internet-based Merchant Intermediaries, **email** gateways, message centers, e-commerce sites, or **combinations** thereof;iii. enabling one or more **Sender** or Caller Parties to input **terms** or **information** into the website, computer, or **other** database **including** by the use of clicks on hypertext **links** , to **search** for or to locate a **Receiver** Party or an address, name, account, **location** , affiliation, or **reference** identification associated with a specific party **to** receive the communication;iv. enabling one or more **Sender** or Caller Parties to input into the computer information (including inputting **text** , graphics, sound, or other information), that creates, formats, forwards, edits, modifies, addresses, or directs a communication or transmission;v. enabling one or more **Sender** or Caller Parties to input into the computer a payment identifier, account information, **security** code, or other information to enable a **Sender** or Caller
...

...or otherwise to transfer benefits or consideration that in whole or in part benefit a **receiver** party;vi. charging or requiring a payment or transfer of benefits from **Sender** **or** Caller Party, at, before, or after the time of sending or transmission of the **Caller** 's or **Sender** 's

communication to Receiver Party's account; vii. segregating, transmitting, storing, holding, distributing, or passing through transmissions or communications to an account, address, or location associated with a specific receiver party; viii. compensating party who receives communications or participates in the method. Basic Derwent Week: 200576

12/5,K/4 (Item 3 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0014253783 - Drawing available
WPI ACC NO: 2004-439956/200441
Related WPI Acc No: 2004-440044; 2004-440045
XRPX Acc No: N2004-348195
Short message service translating method for computer network, involves searching database using sending and receiving party information to determine language pair, and translating message from one language to another of pair
Patent Assignee: LEVIN R E (LEVI-I); TRANSCLICK INC (TRAN-N)
Inventor: LEVIN R E
Patent Family (12 patents, 102 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
US 20040102201	A1	20040527	US 2002428547	P	20021122	200441	B
			US 2003713448	A	20031114		
WO 2004049110	A2	20040610	WO 2003US36565	A	20031114	200441	E
WO 2004049195	A2	20040610	WO 2003US36566	A	20031114	200441	E
WO 2004049196	A2	20040610	WO 2003US36805	A	20031114	200441	E
AU 2003287664	A1	20040618	AU 2003287664	A	20031114	200471	E
AU 2003290955	A1	20040618	AU 2003290955	A	20031114	200471	E
AU 2003291049	A1	20040618	AU 2003291049	A	20031114	200471	E
EP 1567945	A2	20050831	EP 2003783635	A	20031114	200561	E
			WO 2003US36805	A	20031114		
EP 1576586	A2	20050921	EP 2003783540	A	20031114	200562	E
			WO 2003US36565	A	20031114		
EP 1588283	A2	20051026	EP 2003781965	A	20031114	200570	E
			WO 2003US36566	A	20031114		
AU 2003290955	A8	20051110	AU 2003290955	A	20031114	200634	E
AU 2003291049	A8	20051110	AU 2003291049	A	20031114	200634	E

Priority Applications (no., kind, date): US 2002428547 P 20021122; US 2003713448 A 20031114

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 20040102201	A1	EN	23	9	Related to Provisional US 2002428547
WO 2004049110	A2	EN			

National Designated States,Original: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG UZ VC VN YU ZA ZM ZW

Regional Designated States,Original: AT BE BG BW CH CY CZ DE DK EA EE ES FI FR GB GH GM GR HU IE IT KE LS LU MC MW MZ NL OA PT RO SD SE SI SK SL SZ TR TZ UG ZM ZW

WO 2004049195 A2 EN

National Designated States,Original: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG UZ VC VN YU ZA ZM ZW

Regional Designated States,Original: AT BE BG BW CH CY CZ DE DK EA EE ES FI FR GB GH GM GR HU IE IT KE LS LU MC MW MZ NL OA PT RO SD SE SI SK SL SZ TR TZ UG ZM ZW

WO 2004049196 A2 EN

National Designated States,Original: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG UZ VC VN YU ZA ZM ZW

Regional Designated States,Original: AT BE BG BW CH CY CZ DE DK EA EE ES

FI FR GB GH GM GR HU IE IT KE LS LU MC MW MZ NL OA PT RO SD SE SI SK SL SZ TR TZ UG ZM ZW

AU 2003287664	A1	EN	Based on CPI patent	WO 2004049195
AU 2003290955	A1	EN	Based on CPI patent	WO 2004049110
AU 2003291049	A1	EN	Based on CPI patent	WO 2004049196
EP 1567945	A2	EN	PCT Application	WO 2003US36805
			Based on CPI patent	WO 2004049196

Regional Designated States, Original: AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LT LU LV MC MK NL PT RO SE SI SK TR

EP 1576586	A2	EN	PCT Application	WO 2003US36565
			Based on CPI patent	WO 2004049110

Regional Designated States, Original: AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LT LU LV MC MK NL PT RO SE SI SK TR

EP 1588283	A2	EN	PCT Application	WO 2003US36566
			Based on CPI patent	WO 2004049195

Regional Designated States, Original: AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LT LU LV MC MK NL PT RO SE SI SK TR

AU 2003290955	A8	EN	Based on CPI patent	WO 2004049110
AU 2003291049	A8	EN	Based on CPI patent	WO 2004049196

Alerting Abstract US A1

NOVELTY - The method involves receiving a short message service (SMS) message from a device with sending and **receiving party** identification information. An SMS message translation database is searched using one of the information to determine a language pair. The message is translated from one language to another language of the language pair. A portion of the message is communicated to a user of another device.

DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

1. a method for processing short message service messages
2. a system for facilitating translation of a remote communication
3. a network component for translating SMS signaling messages to a receiving party.

USE - Used for translating **electronic mail**, instant message, chat, SMS messages, electronic text, word **processing file**, Internet web page, Internet search result and other textual communication over a computer network e.g. modem or through a local **area** network and wide **area** network.

ADVANTAGE - The method provides automatic translation of user defined communication in a computer network. The method provides improved language translation services to Internet users and remote device users while not requiring substantial modification to the users existing hardware or software. The method provides highly accurate translations of textual communication through automated dictionary selection and deployment. The method provides a quick, efficient machine translation over a computer network, whereby dictionaries can be continuously augmented and adjusted for more accurate communication. The method allows users to communicate in different languages in real-time using specialized dictionaries. The method provides a comprehensive, easy-to-access database of specialized dictionaries.

DESCRIPTION OF DRAWINGS - The drawing shows a functional block diagram of short message service translating method for providing multilingual service across a computer network.

10 Translation system
12 Translation gateway
14 Computer network
16 Interface server
18 Translation server

Title Terms/Index Terms/Additional Words: SHORT; MESSAGE; SERVICE; TRANSLATION; METHOD; COMPUTER; NETWORK; SEARCH; DATABASE; SEND; RECEIVE; PARTY; INFORMATION; DETERMINE; LANGUAGE; PAIR; ONE

Class Codes

International Classification (Main): G06F-017/28, G10L-021/00
International Classification (+ Attributes)
IPC + Level Value Position Status Version

G06F-0017/27	A	I	R	20060101
G06F-0017/28	A	I	L B	20060101

G06F-0017/28 A I R 20060101
G10L-0015/18 A I F B 20060101
G10L-0015/18 A I R 20060101
H04Q-0007/22 A I R 20060101
G06F-0017/27 C I R 20060101
G06F-0017/28 C I L B 20060101
G06F-0017/28 C I R 20060101
G10L-0015/00 C I F B 20060101
G10L-0015/00 C I R 20060101
H04Q-0007/22 C I R 20060101
US Classification, Issued: 455466

File Segment: EngPI; EPI;
DWPI Class: T01; W01; P86
Manual Codes (EPI/S-X): T01-J05B3; T01-J14; T01-N01B; T01-N01C; W01-B05A1A; W01-C02B7D

Short message service translating method for computer network, involves searching database using sending and receiving party information to determine language pair, and translating message from one language to another of pair

Alerting Abstract ...method involves receiving a short message service (SMS) message from a device with sending and **receiving party** identification information. An SMS message translation database is searched using one of the information...
...translation of a remote communication a network component for translating SMS signaling messages to a **receiving party**.
...

...USE - Used for translating **electronic mail**, instant message, chat, SMS messages, electronic text, word **processing file**, Internet web page, Internet search result and other textual communication over a computer network e.g. modem or through a local **area** network and wide **area** network.

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...enhancement. The invention can accept speech and text inputs and can be used to translate **electronic mail**, instant messages, **chat**, SMS messages, electronic text and word processing files, Internet web pages, Internet search results, and other...
...enhancement. The invention can accept speech and text inputs and can be used to translate **electronic mail**, instant messages, chat, SMS messages, electronic text **and word** processing files, Internet web pages, Internet search results, and other textual communications for a variety...

...enhancement. The invention can accept speech and text inputs and can be used to translate **electronic mail**, instant messages, chat, SMS messages, electronic text and **word** processing files, Internet **web pages**, Internet search results, and **other** textual **communications** for a variety of device types, **including** wireless devices. In one embodiment, language pairs are automatically determined in real-time...

...enhancement. The invention can accept speech and text inputs and can be used to translate **electronic mail**, instant messages, chat, SMS messages, electronic text and word processing files, Internet web pages, Internet search results, **and other** textual communications for a variety of device types, including wireless devices. In one embodiment, language...

...enhancement. The invention can accept speech and text inputs and can be used to translate **electronic mail**, instant messages, chat, SMS messages, electronic text and word processing files, Internet web pages, Internet search results, and other textual communications for **a variety** of device types, including wireless devices. In one embodiment, language pairs are automatically determined in...

...enhancement. The invention can accept speech and text inputs and can be used to translate **electronic mail**, instant messages, chat, SMS messages, electronic text and **word** processing files, Internet web pages, Internet search results, and **other** textual communications for a variety of device types, **including** wireless devices. In one **embodiment**, **language** pairs are automatically determined in real-time.
Claims:
...the steps of: receiving a first SMS message from a first device, including sending and **receiving party** identification information; searching an **SMS message** translation database using at least one of the sending and **receiving party** identification information to determine a language **pair**; **in** response to determining said language pair, translating said SMS message from a first language of...
Basic Derwent Week: 200441

12/5,K/5 (Item 4 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0013929704 - Drawing available
WPI ACC NO: 2004-109638/200411
XRPX Acc No: N2004-087229
Computer data processing system of metadata filing system configuration, extracts metadata from scanned information objects, and stores reference objects along with metadata links and metadata, in separate databases
Patent Assignee: HORN B L (HORN-I)
Inventor: HORN B L
Patent Family (5 patents, 52 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
WO 2004008348	A1	20040122	WO 2003US22464	A	20030716	200411	B
AU 2003252024	A1	20040202	AU 2003252024	A	20030716	200450	E
US 20040177319	A1	20040909	US 2002396439	P	20020716	200459	E
			US 2003621689	A	20030716		
US 7275063	B2	20070925	US 2002396439	P	20020716	200765	E
			US 2003621689	A	20030716		
US 20080021921	A1	20080124	US 2002396439	P	20020716	200810	E
			US 2003621689	A	20030716		
			US 2007903304	A	20070921		

Priority Applications (no., kind, date): US 2002396439 P 20020716; US 2003621689 A 20030716; US 2007903304 A 20070921

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
WO 2004008348	A1	EN	100	37	

National Designated States, Original: AU BG BR BY CA CN GE HR ID IL IN IS JP KR LT LV MX NO NZ PH PL RU SG UA YU ZA
Regional Designated States, Original: AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PT RO SE SI SK TR

AU 2003252024	A1	EN		Based on CPI patent WO 2004008348
US 20040177319	A1	EN		Related to Provisional US 2002396439
US 7275063	B2	EN		Related to Provisional US 2002396439
US 20080021921	A1	EN		Related to Provisional US 2002396439
				Division of application US 2003621689
				Division of patent US 7275063

Alerting Abstract WO A1
NOVELTY - A CPU processes a component architecture code, to scan source data of information object input from external sources, and to extract metadata from the scanned object. The metadata is stored in a catalog database (107), and the reference objects are stored along with the metadata links in a object database. A computer (101) displays the stored data on its display screen.
DESCRIPTION - An INDEPENDENT CLAIM is also included for information object management method.
USE - For processing data in metadata filing system (MFS) configuration, for creation, organization, transmission and storage of information in the form of content data, word processing document, spreadsheet, images, drawings, photographs, sounds, music, **e-mail**, software source code, web

pages, application program address lists of appointments, notes and calendar schedules, and task lists of personal finance management data, corporate customers, departments, employees, stocking and accounting data, etc.
ADVANTAGE - Since the reference objects are stored along with the metadata links, the automatic organization, indexing and viewing of information from multiple sources, are ensured. By using configurable, extensible attribute/properties of data objects in metadata format, a truly user-friendly configurable interface that facilitates more unified, comprehensive, useful and meaningful information management, is realized.
DESCRIPTION OF DRAWINGS - The figure shows the block diagram of the computer data processing system
101 computer
107 catalog database
108 object oriented database
109 file domain
111 music domain
112 image domain

Title Terms/Index Terms/Additional Words: COMPUTER; DATA; PROCESS; SYSTEM; FILE; CONFIGURATION; EXTRACT; SCAN; INFORMATION; OBJECT; STORAGE; REFERENCE; LINK; SEPARATE

Class Codes
International Classification (+ Attributes)
IPC + Level Value Position Status Version
G06F-0017/30 A I F B 20060101
G06F-0017/30 A I R 20060101
G06F-0007/00 A I F B 20060101
G06F-0017/30 C I F B 20060101
G06F-0017/30 C I R 20060101
G06F-0007/00 C I B 20060101
US Classification, Issued: 715501.1, 707102.0, 707102, 715501

File Segment: EPI;
DWPI Class: T01
Manual Codes (EPI/S-X): T01-F07; T01-J05A2; T01-J05B1; T01-J05B2B; T01-J05B4P; T01-J11; T01-J12B1; T01-N01A

Alerting Abstract ...in the form of content data, word processing document, spreadsheet, images, drawings, photographs, sounds, music, e-mail, software source code, web pages, application program address lists of appointments, notes and calendar schedules...

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...a truly user-friendly configurable interface that facilitates faster, more unified, comprehensive, useful and meaningful information management. Additional features include a sticky path object hierarchy viewing system, key phrase linking, viewing by reference, and drag-and-drop relationship link creation...

...a truly user-friendly configurable interface that facilitates faster, more unified, comprehensive, useful and meaningful information management. Additional features include a sticky path object hierarchy viewing system, key phrase linking, viewing by reference, and drag-and-drop relationship link creation...

...a truly user-friendly configurable interface that facilitates faster, more unified, comprehensive, useful and meaningful information management. Additional features include a sticky path object hierarchy viewing system, key phrase linking, viewing by reference, and drag-and-drop relationship link creation...

...a truly user-friendly configurable interface that facilitates faster, more unified, comprehensive, useful and meaningful information management. Additional features include a sticky path object hierarchy viewing system, key phrase linking, viewing by reference, and

drag-and-drop relationship link creation...
Claims:
...of a hierarchy are visible at once, views of objects and their containment relationships or **location** paths within said hierarchy in said single window on said display, so the containment hierarchies...
...Basic Derwent Week: **2003WO-US0022464**

12/5,K/6 (Item 5 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0012447269 - Drawing available
WPI ACC NO: 2002-392869/ **200242**
XRPX Acc No: N2002-307974
Electronic mail **device reads character setting information from RAM and reproduces mail text as audio data accordingly**
Patent Assignee: HAYASHI K (HAYA-I); SHARP KK (SHAF)
Inventor: HAYASHI K
Patent Family (3 patents, 2 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
US 20020026316	A1	20020228	US 2001873275	A	20010605	200242	B
JP 2002149560	A	20020524	JP 2001131203	A	20010427	200250	E
US 6925437	B2	20050802	US 2001873275	A	20010605	200550	E

Priority Applications (no., kind, date): JP 2000256812 A 20000828; JP 2001131203 A 20010427; US 2001873275 A 20010605

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 20020026316	A1	EN	20	14	
JP 2002149560	A	JA	10		

Alerting Abstract US A1
NOVELTY - A voice synthesizer (41) reads the character setting information from the memory **area** (91) of a RAM (9) and reproduces mail text as audio data according to the set characteristics.
DESCRIPTION - An INDEPENDENT CLAIM is also included for **electronic** mail system.
USE - **Electronic mail** device with vocally reproducing and synthesizing function.
ADVANTAGE - The message with enhance impression is presented to the **receiver** by the audible reproduction facility.
DESCRIPTION OF DRAWINGS - The figure shows a block diagram of the **e-mail** device.
9 RAM
41 Voice synthesizer
91 Memory **area**

Title Terms/Index Terms/Additional Words: ELECTRONIC; MAIL; DEVICE; READ; CHARACTER; SET; INFORMATION; RAM; REPRODUCE; TEXT; AUDIO; DATA; ACCORD

Class Codes
International Classification (+ Attributes)

IPC + Level	Value	Position	Status	Version
G06F-0013/00	A	I	L R	20060101
G06F-0003/01	A	I	L R	20060101
G06F-0003/16	A	I	F R	20060101
G10L-0013/00	A	I	L R	20060101
G10L-0013/04	A	I	R	20060101
G10L-0013/08	A	I	L R	20060101
H04M-0001/725	A	I	R	20060101
G06F-0013/00	C	I	L R	20060101
G06F-0003/01	C	I	L R	20060101
G06F-0003/16	C	I	F R	20060101
G10L-0013/00	C	I	R	20060101
H04M-0001/72	C	I	R	20060101

US Classification, Issued: 704258, 704260, 704258, 709206

File Segment: EngPI; EPI;

DWPI Class: T01; W04; P86
Manual Codes (EPI/S-X): T01-C08A; T01-H01B3; T01-N01C; W04-V02

Electronic mail device reads character setting information from RAM and reproduces mail text as audio data accordingly

Original Titles:
DEVICE AND SYSTEM FOR E - MAIL
...

... Electronic mail device and system..

... Electronic mail device and system

Alerting Abstract ...NOVELTY - A voice synthesizer (41) reads the character setting information from the memory area (91) of a RAM (9) and reproduces mail text as audio data according to the...
DESCRIPTION - An INDEPENDENT CLAIM is also included for electronic mail system..

...USE - Electronic mail device with vocally reproducing and synthesizing function...

...ADVANTAGE - The message with enhance impression is presented to the receiver by the audible reproduction facility...

...DESCRIPTION OF DRAWINGS - The figure shows a block diagram of the e - mail device...

...91 Memory area

Original Publication Data by Authority

Argentina

Assignee name & address:
Claims:
1. An electronic mail device capable of vocally reproducing an electronic mail text, comprising: a communication unit for sending and receiving an electronic mail ;a memory for storing an electronic mail text and data including character setting information ; an input portion for inputting letters;a display portion for displaying letters and images;a voice...

...anda speaker;wherein the mail device in a mode of vocally reproducing a received electronic mail text recognizes character setting information inserted as a text letter string in the mail text, refers to the character setting information and vocally reproduces the mail text by a specified character's voice...

...1. An electronic mail device capable of vocally reproducing an electronic mail text, comprising:a communication unit for sending and receiving an electronic mail ;a memory for storing data including electronic mail text, character setting information , and detailed character setting information;an input portion for inputting data;a display portion for displaying letters and images;a voice synthesis control portion for controlling voice synthesis; anda speaker;wherein the electronic mail device in a mode of vocally reproducing a received electronic mail text recognizes character setting information inserted as a text letter string in the mail text, refers to the character setting information and the detailed character setting information and vocally reproduces the mail text by a specified character ' s voice synthesized based on the character setting information and the detailed character setting information by the voice synthesis control unit, and wherein the character setting information and the detailed character setting information are not appended to each other.> Basic Derwent Week: 200242

12/5,K/7 (Item 6 from file: 350)

0011036706 - Drawing available
WPI ACC NO: 2001-662790/ **200176**
Related WPI Acc No: 2001-514605; 2001-581377; 2001-581378; 2001-596242
XRPX Acc No: N2001-493844
Distributed digital film processing system using centralized processing location has program of instructions that manipulate received image information to generate electronic representation of desired image
Patent Assignee: APPLIED SCI FICTION INC (SCFI-N); COCK S S (COCK-I); LESTER L A (LEST-I)
Inventor: COCK S S; LESTER L A
Patent Family (5 patents, 92 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
WO 2001058137	A2	20010809	WO 2001US3799	A	20010205	200176	B
AU 200136697	A	20010814	AU 200136697	A	20010205	200176	E
US 20010036366	A1	20011101	US 2000180478	P	20000203	200176	E
			US 2000180483	P	20000203		
			US 2000180485	P	20000203		
			US 2001777396	A	20010205		
US 6554504	B2	20030429	US 1999174055	P	19991230	200331	E
			US 2000180478	P	20000203		
			US 2000180483	P	20000203		
			US 2000180485	P	20000203		
			US 2001777396	A	20010205		
AU 2001236697	A8	20050915	AU 2001236697	A	20010205	200569	E

Priority Applications (no., kind, date): US 1999174055 P 19991230; US 2000180485 P 20000203; US 2000180483 P 20000203; US 2000180478 P 20000203; US 2001777396 A 20010205

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
WO 2001058137	A2	EN	67	6	

National Designated States, Original: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW

Regional Designated States, Original: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TR TZ UG ZW

AU 200136697	A	EN	Based on CPI patent	WO 2001058137
US 20010036366	A1	EN	Related to Provisional	US 2000180478
			Related to Provisional	US 2000180483
			Related to Provisional	US 2000180485
US 6554504	B2	EN	Related to Provisional	US 1999174055
			Related to Provisional	US 2000180478
			Related to Provisional	US 2000180483
			Related to Provisional	US 2000180485
AU 2001236697	A8	EN	Based on CPI patent	WO 2001058137

Alerting Abstract WO A2

NOVELTY - A first communications interface may receiving image information from at least one remotely located film imaging system and transmitting information to at least one image delivery system (140). A memory operably is associated with a processor. A program of instructions (120) manipulates the received image information to generate an electronic representation of a desired image.

DESCRIPTION - The image processing system (120) may include a user interface operable to allow a user to input information into a digital film processing system (105). The user interface may include e.g. a keypad, point-of-sale device, voice recognition system, memory reading device such as a flash card reader, money changer, bar code reader, and the like. The user interface allows the customer to enter payment, make image enhancement choices regarding the digital images, print the digital images, add information, email the digital images, or interact with the image processing system (120) in any suitable manner.

INDEPENDENT CLAIMS are included for:

1. a method of processing digital film images

2. a distributed digital film processing system

3. a method of delivering images resulting form a digital film processing

4. a signal embodied in a propagation medium

5. a storage and retrieval system of an electronic image

6. a method of delivering electronic images

7. a distributed storage and retrieval system for electronic images

USE - In distributed digital film processing.
ADVANTAGE - A centralized processing location can be used to limit the cost of processing hardware needed to process electronic image information and to obtain more consistent processing quality. The users may control the delivery and some processing of their images through a user interface provided on an image delivery system. The users may archive electronic representations of their images for later retrieval and/or further processing using an Internet web site.
DESCRIPTION OF DRAWINGS - The drawing is a block diagram of distributed digital film processing system according to the present invention.
105 digital film processing system
120 program of instructions
140 image delivery system

Title Terms/Index Terms/Additional Words: DISTRIBUTE; DIGITAL; FILM; PROCESS; SYSTEM; CENTRE; LOCATE; PROGRAM; INSTRUCTION; MANIPULATE; RECEIVE; IMAGE; INFORMATION; GENERATE; ELECTRONIC; REPRESENT

Class Codes
International Classification (Main): H04N-001/00
International Classification (+ Attributes)
IPC + Level Value Position Status Version
H04N-0001/00 A I R 20060101
H04N-0001/00 C I R 20060101
US Classification, Issued: 396429, 396567, 396570, 396639, 35527, 35540

File Segment: EngPI; EPI;
DWPI Class: S06; T01; T05; W02; P83; P84
Manual Codes (EPI/S-X): S06-B04C; T01-H07C3B; T01-M02A; T05-L01C

Distributed digital film processing system using centralized processing location has program of instructions that manipulate received image information to generate electronic representation of desired...

Alerting Abstract ...payment, make image enhancement choices regarding the digital images, print the digital images, add information, email the digital images, or interact with the image processing system (120) in any suitable manner...

...ADVANTAGE - A centralized processing location can be used to limit the cost of processing hardware needed to process electronic image information and to obtain more consistent processing quality. The users may control the delivery and some processing of...

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...for processing. The fully processed images are then transmitted to an archive/database for long-term storage, and/or transmitted directly to an image delivery system which may be a personal computer or similar information handling system. The image delivery system encodes a desired image onto a physical medium. Encoding includes generating electronic copies, negative and positive films, photographic prints, etc. Appropriate user interfaces are employed...

...long term storage, and/or transmitted directly to an image delivery system which may be a personal computer of similar information handling

system. The image delivery system encodes a desired image onto a physical medium. Encoding includes generating electronic copies, negative and positive films, photographic prints, etc. Appropriate user interfaces are employed to allow...
Claims: Basic Derwent Week: **200176**

12/5,K/8 (Item 7 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0010979504 - Drawing available
WPI ACC NO: 2001-603870/ **200169**
XRPX Acc No: N2001-450686
Text document marking method for document authentication, involves obtaining marked text documents by inserting extra blank characters at each position of unique combination of positions
Patent Assignee: CARROLL (CARR-I); IBM CORP (IBMC); INT BUSINESS MACHINES CORP (IBMC); MATYAS S M (MATY-I)
Inventor: CARROLL; INCERTIS C F; INCERTIS CARROLL F; MATYAS; MATYAS S; MATYAS S M
Patent Family (7 patents, 28 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
EP 1117205	A2	20010718	EP 2000480110	A	20001128	200169	B
JP 2001273286	A	20011005	JP 20012365	A	20010110	200173	E
US 20020013794	A1	20020131	US 2001754845	A	20010104	200210	E
US 6941460	B2	20050906	US 2001754845	A	20010104	200558	E
EP 1117205	B1	20060208	EP 2000480110	A	20001128	200612	E
DE 60025901	E	20060420	DE 60025901	A	20001128	200628	E
			EP 2000480110	A	20001128		
DE 60025901	T2	20060824	DE 60025901	A	20001128	200656	E
			EP 2000480110	A	20001128		

Priority Applications (no., kind, date): EP 2000480016 A 20000111; EP 2000480110 A 20001128

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
EP 1117205	A2	EN	12	5	
Regional Designated States, Original: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI TR					
JP 2001273286	A	JA	10		
EP 1117205	B1	EN			
Regional Designated States, Original: DE FR GB					
DE 60025901	E	DE			Application EP 2000480110 Based on CPI patent EP 1117205
DE 60025901	T2	DE			Application EP 2000480110 Based on CPI patent EP 1117205

Alerting Abstract EP A2
NOVELTY - Canonical text document is obtained by editing the number of inter-word blank characters of text document. Subset of position is retained from canonical text document for the insertion of blank characters. Unique combination of positions is computed using canonical text document and secret input keys. A marked text document is obtained by inserting extra blank character in each position of unique combination.
DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

1. Authentication system;

2. Computer readable medium storing instructions for marking a text document

USE - For authentication of soft-copy or electronic text documents such as electronic mail and hard copies of plain text documents in computer networks.
ADVANTAGE - By inserting the extra blank characters to the document, the information is efficiently merged to authenticate the text documents.
DESCRIPTION OF DRAWINGS - The figure shows description of authentication of text through the insertion of extra blanks.

Title Terms/Index Terms/Additional Words: TEXT; DOCUMENT; MARK; METHOD; AUTHENTICITY; OBTAIN; INSERT; EXTRA; BLANK; CHARACTER; POSITION; UNIQUE; COMBINATION

Class Codes
International Classification (+ Attributes)
IPC + Level Value Position Status Version
G06F-0012/14 A I L R 20060101
G06F-0017/21 A I F R 20060101
G06F-0021/24 A I L R 20060101
G06T-0001/00 A I L R 20060101
H04L-0009/32 A I F B 20060101
H04L-0009/32 A I F 20060101
H04L-0009/32 A I R 20060101
H04N-0001/32 A I L B 20060101
H04N-0001/32 A I L 20060101
H04N-0001/387 A I L R 20060101
G06F-0012/14 C I L R 20060101
G06F-0017/21 C I F R 20060101
G06F-0021/00 C I L R 20060101
G06T-0001/00 C I L R 20060101
H04L-0009/32 C I F B 20060101
H04L-0009/32 C I L B 20060101
H04L-0009/32 C I R 20060101
H04N-0001/32 C I L B 20060101
H04N-0001/387 C I L R 20060101
US Classification, Issued: 707534, 707527, 713170, 382100

File Segment: EPI;
DWPI Class: T01; W01
Manual Codes (EPI/S-X): T01-H07C1; T01-J12C; W01-A06E1; W01-A06G2; W01-A06X

Alerting Abstract ...USE - For authentication of soft-copy or electronic text documents such as electronic mail and hard copies of plain text documents in computer networks...

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...of the text and a secret-key used as inputs, a unique combination of inter- word blank characters positions is computed in which extra blanks are inserted thus , obtaining a marked text document. Authentication of a received marked text document is performed by a recipient , sharing the secret- key , further comparing the received text document to the marked text document so that if they...

...of the text and a secret-key used as inputs, a unique combination of inter- word blank characters positions is computed in which extra blanks are inserted thus, obtaining a marked text document . Authentication of a received marked text document is performed by a recipient , sharing the secret-key, further comparing the received text document to the marked text document so that if they are matching exactly the received ...
...of the text and a secret-key used as inputs, a unique combination of inter- word blank characters positions is computed in which extra blanks are inserted thus, obtaining a marked text document. Authentication of a received marked text document is performed by a recipient , sharing the secret-key, further comparing the received text document to the marked text document so that if they are matching exactly the received text document is accepted as...
Claims:
...120] and a secret-key as inputs [130], a unique combination of positions among said subset of positions;inserting into each position [151] of said unique combination of positions at least one extra blank character thus, obtaining a marked text document [150]...text document; whereinsaid text document is said marked text document to be authenticated by a recipient sharing said secret-key, said method further comprising the step ofcomparing [160] said tBasic Derwent Week: 200169

12/5,K/9 (Item 8 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0010265890 - Drawing available
WPI ACC NO: 2000-578506/ **200054**
XRPX Acc No: N2000-428043
Processor based fax routing method involves selecting addressees from list of possible addressees after optical character recognition
Patent Assignee: BCL COMPUTER INC (BCLC-N)
Inventor: ALAM H; DEDIU H; TUPAJ S
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
US 6104500 A 20000815 US 199869729 A 19980429 200054 B

Priority Applications (no., kind, date): US 199869729 A 19980429

Patent Details
Number Kind Lan Pg Dwg Filing Notes
US 6104500 A EN 16 13

Alerting Abstract US A
NOVELTY - Image data representing a fax is received by computer program (44). Geometric analysis (104), keyword location (106) and location (112) of program (44) identifies name of addressee, keyword and name fields. After performing OCR (116) on entire fax, an addressee is chosen from list of possible addressees using processing block (118). Then text is converted into e-mail and stored in e-mail server.
USE - For fax communication.
ADVANTAGE - A single medium is provided which combines fax based asynchronous collaboration with e-mail. Thus incoming fax is accessed rapidly without physically visiting fax server. A large volume of incoming faxes is viewed by addressee.
DESCRIPTION OF DRAWINGS - The figure shows the flow diagram which illustrates fax router and fax analysis engine.
44 Program
104 Geometric analysis
106 Keyword location
112 Location
116 OCR

Title Terms/Index Terms/Additional Words: PROCESSOR; BASED; FACSIMILE; ROUTE; METHOD; SELECT; ADDRESS; LIST; POSSIBILITY; AFTER; OPTICAL; CHARACTER; RECOGNISE

Class Codes
International Classification (+ Attributes)
IPC + Level Value Position Status Version
H04N-0001/00 A N R 20060101
H04N-0001/32 A I R 20060101
H04N-0001/00 C N R 20060101
H04N-0001/32 C I R 20060101
US Classification, Issued: 3581.15, 358402, 358407, 382101, 382229, 382317

File Segment: EPI;
DWPI Class: T01; T04; W01; W02
Manual Codes (EPI/S-X): T01-H07C1; T01-H07P; T01-J10B2; T04-D04; W01-A06E2; W01-A06X; W02-J03C9; W02-J08A

Processor based fax routing method involves selecting addressees from list of possible addressees after optical character recognition

Original Titles:
Networked fax routing via e-mail.

Alerting Abstract ...Image data representing a fax is received by computer program (44). Geometric analysis (104), keyword location (106) and location (112) of program (44) identifies name of addressee, keyword and name fields. After performing OCR (116) on entire fax, an

addressee is chosen from list of possible addressees using processing block (118). Then text is converted into e-mail and stored in e-mail server.... ADVANTAGE - A single medium is provided which combines fax based asynchronous collaboration with e-mail. Thus incoming fax is accessed rapidly without physically visiting fax server. A large volume of incoming faxes is viewed by addressee.

...

...106 Keyword location

...

...112 Location

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...CCR"), the method identifies in the image data a keyword block of text, and an addressee-name block of text that is located near the keyword block of text. The fax...

...CCR on the image data extracting therefrom texts for the keyword, the name of the addressee, and other text present in the facsimile. Using probabilities computed between the text of the name of the addressee and names in a list of possible addressees, and between the keyword and keywords in a list of keywords, the fax routing method determines an addressee for the document. The fax routing method then converts all text into email addressed to the fax's addressee, and stores the email onto an email server from which it may be retrieved.
Claims:
...electronic fax communication image data representing a document that includes therein a name of an addressee for the fax communication; locating in the image data of the fax communication a keyword block of text that likely contains a keyword; locating in the image data of the fax communication an addressee-name block of text, located near the keyword block of text, that likely contains the name of the addressee; performing optical character recognition ("OCR") on the image data of the fax communication to extract therefrom texts including texts for the keyword, the name of the addressee, and other text present in the image data; determining probabilities that the text of the name of the addressee extracted by OCR from the image data is that of names in a list of possible addressees; determining probabilities that the keyword extracted by OCR from the image data is that of keywords in a list of keywords; using the probabilities that the text of the name of the possible addressee is that of names in a list of possible addressees and the probabilities that the keyword is that of keywords in a list of keywords to evaluate a likelihood that an addressee for the document has been identified; determining an addressee for the document: by comparing a best likelihood that an addressee for the document has been identified with a pre-established likelihood threshold; and by comparing a separation between the best likelihood that an addressee for the document has been identified and a second best likelihood that an addressee for the document has been identified with a pre-established separation threshold; converting all text extracted by performing OCR on the image data into email addressed to the addressee identified for the fax communication; and storing the email thus obtained onto an email server from which the identified addressee may retrieve the extracted text.
Basic Derwent Week: 200054

12/5,K/10 (Item 9 from file: 350)
DIALOG(R)File 350:Derwent WPIX

0008917229 - Drawing available
WPI ACC NO: 1998-467772/ 199840
Related WPI Acc No: 2001-390074; 2001-464990
XRPX Acc No: N1998-364475
Natural language based information organisation and collaboration tool for

computer system - includes parsing device that has functions for linking input text expression to information object based on keyword identified in input text expression

Patent Assignee: ACTICNEER INC (ACTI-N); TRIBBENSEE B (TRIB-I); ALLEN D (ALLE-I); BUCHHEIM D (BUCH-I); HAGAN T (HAGA-I); JOAQUIN J (JOAQ-I); MANN T (MANN-I); RABBANI D (RABB-I); SMIGA B (SMIG-I)

Inventor: ALLEN D; BUCHHEIM D; HAGAN T; JOAQUIN J; MANN T; MARTIN F P; RABBANI D; SMIGA B; TRIBBENSEE B

Patent Family (9 patents, 79 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
WO 1998037474	A2	19980827	WO 1998US2217	A	19980210	199840	B
AU 199864340	A	19980909	AU 199864340	A	19980210	199905	E
US 6026410	A	20000215	US 1997798453	A	19970210	200016	E
EP 1008080	A2	20000614	EP 1998909988	A	19980210	200033	E
			WO 1998US2217	A	19980210		
US 20010016845	A1	20010823	US 1997798453	A	19970210	200151	E
			US 1999169539	P	19991207		
			US 1999468222	A	19991220		
			US 2000733274	A	20001207		
JP 2001512605	W	20010821	JP 1998536669	A	19980210	200155	E
			WO 1998US2217	A	19980210		
US 20020174106	A1	20021121	US 1997798453	A	19970210	200279	E
			US 1999169539	P	19991207		
			US 1999468222	A	19991220		
			US 2000733584	A	20001207		
US 7146381	B1	20061205	US 1997798453	A	19970210	200680	E
			US 1999468222	A	19991220		
US 20070083552	A1	20070412	US 1997798453	A	19970210	200726	E
			US 1999468222	A	19991220		
			US 2006634450	A	20061205		

Priority Applications (no., kind, date): US 1997798453 A 19970210; US 1999169539 P 19991207; US 1999468222 A 19991220; US 2000733274 A 20001207; US 2000733584 A 20001207; US 2006634450 A 20061205

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
WO 1998037474	A2	EN	132	25	

National Designated States, Original: AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE GH GM GW HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZW

Regional Designated States, Original: AT BE CH DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW NL OA PT SD SE SZ UG ZW

AU 199864340	A	EN			Based on CPI patent WO 1998037474
EP 1008080	A2	EN			PCT Application WO 1998US2217
					Based on CPI patent WO 1998037474

Regional Designated States, Original: BE DE FR GB IE NL SE

US 20010016845	A1	EN			Continuation of application US 1997798453
					Related to Provisional US 1999169539
					C-I-P of application US 1999468222
					Continuation of patent US 6026410
JP 2001512605	W	JA	116		PCT Application WO 1998US2217
					Based on CPI patent WO 1998037474
US 20020174106	A1	EN			Continuation of application US 1997798453
					Related to Provisional US 1999169539
					C-I-P of application US 1999468222
					Continuation of patent US 6026410
US 7146381	B1	EN			Continuation of application US 1997798453
					Continuation of patent US 6026410
US 20070083552	A1	EN			Continuation of application US 1997798453
					Continuation of application US 1999468222
					Continuation of patent US 6026410
					Continuation of patent US 7146381

Alerting Abstract WO A2

The appts includes an object database defining an information object with an associated keyword. A user input device receives an input text expression and a parsing device identifies the keyword in the input text expression. The parsing device includes functions for linking the input text expression to the information object based on the keyword identified in the input text expression. A user output device displays to the user the identity of the information object to which the input text expression was linked. The object database includes supplemental information related to the information object. The user output device further includes a functions for displaying the supplemental information when a corresponding keyword is identified in the input text expression.

Title Terms/Index Terms/Additional Words: NATURAL; LANGUAGE; BASED; INFORMATION; ORGANISE; TOOL; COMPUTER; SYSTEM; PARSE; DEVICE; FUNCTION; LINK; INPUT; TEXT; EXPRESS; OBJECT; KEYWORD; IDENTIFY

Class Codes
International Classification (Main): G06F-017/30
International Classification (+ Attributes)
IPC + Level Value Position Status Version
G06F-0015/18 A I L B 20060101
G06F-0017/00 A I F B 20060101
G06F-0017/27 A I L B 20060101
G06F-0017/30 A I R 20060101
G06Q-0010/00 A I R 20060101
H04L-0012/58 A I R 20060101
H04L-0029/08 A I R 20060101
G06F-0007/00 A I F B 20060101
G06F-0015/18 C I L B 20060101
G06F-0017/00 C I F B 20060101
G06F-0017/27 C I L B 20060101
G06F-0017/30 C I R 20060101
G06Q-0010/00 C I R 20060101
H04L-0012/58 C I R 20060101
H04L-0029/08 C I R 20060101
G06F-0007/00 C I B 20060101
US Classification, Issued: 709206, 709203, 70710, 7073, 707103.R, 707200, 704270, 707104, 707104.1, 7049, 70614, 70645

File Segment: EPI;
DWPI Class: T01
Manual Codes (EPI/S-X): T01-J11A1; T01-J11D

Original Titles:
...Method and apparatus for receiving information in response to a request from an email client...

Alerting Abstract ...of the information object to which the input text expression was linked. The object database includes supplemental information related to the information object. The user output device further includes a functions for displaying the supplemental information when a corresponding keyword is identified in the input text expression.

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...apparatus of the present invention further includes supplemental information in the object database which is related to the information object, the user output device further including functions for displaying the supplemental information when a corresponding keyword is identified in the input text expression. The apparatus of the present invention further includes...

...apparatus of the present invention further includes supplemental information in the object database which is related to the information object, the user output device further including functions for displaying the supplemental information when a corresponding keyword is identified in the input text expression. The apparatus of the present invention

further includes...

...apparatus of the present invention further includes supplemental information in the object database which is **related** to the **information** object, the user output device further **including** functions for displaying the supplemental information when a corresponding **keyword** is identified in the input text expression. The apparatus of the present invention further includes...

...apparatus of the present invention further includes supplemental information in the object database which is **related** to the **information** object, the user output device further **including** functions for displaying the supplemental information when a corresponding **keyword** is identified in the input text expression. The apparatus of the present invention further includes...

Claims:

...anda user output device to provide, prior to the message being sent to a location dependent on the message type, an indication of an action to be taken by the...

Basic Derwent Week: **199840**

12/5,K/11 (Item 10 from file: 350)

DIALOG(R)File 350:Derwent WPIX

0008009495 - Drawing available

WPI ACC NO: 1997-102187/ **199710**

XRPX Acc No: N1997-084531

Hypertext multimedia information provision appts. - includes storage unit for hypervideo clips which are selected by hyperlink selection by user and continuously supplied along with reference data to display

Patent Assignee: MATSUSHITA DENKI SANGYO KK (MATU); MATSUSHITA ELECTRIC IND CO LTD (MATU)

Inventor: KATO M

Patent Family (8 patents, 3 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
EP 756420	A2	19970129	EP 1996305432	A	19960724	199710	B
EP 756420	A3	19970205	EP 1996305432	A	19960724	199715	E
JP 9101928	A	19970415	JP 1996137286	A	19960530	199725	E
US 5809512	A	19980915	US 1996681420	A	19960723	199844	E
EP 756420	B1	19990915	EP 1996305432	A	19960724	199942	E
DE 69604251	E	19991021	DE 69604251	A	19960724	199950	E
			EP 1996305432	A	19960724		
JP 3471526	B2	20031202	JP 1996137286	A	19960530	200402	E
JP 2004048776	A	20040212	JP 1996137286	A	19960530	200413	E
			JP 2003280400	A	20030725		

Priority Applications (no., kind, date): JP 1995193257 A 19950728; JP 1996137286 A 19960530

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
EP 756420	A2	EN	174	105	
Regional Designated States, Original: DE FR GB					
EP 756420	A3	EN			
JP 9101928	A	JA	58		
EP 756420	B1	EN			
Regional Designated States, Original: DE FR GB					
DE 69604251	E	DE			Application EP 1996305432 Based on CPI patent EP 756420
JP 3471526	B2	JA	52		Previously issued patent JP 09101928
JP 2004048776	A	JA	64		Division of application JP 1996137286

Alerting Abstract EP A2

The hypertext multimedia appts. includes an input unit (111) and a display (112). Operating commands are generated by hyperlink selection using the display unit. A storage unit stores data from a hypervideo clip composed of subject matter and scenario data. The subject and scenario data

are read from storage.
Reference video clip data is continuously supplied to the data display unit's as they are read from storage. Data transfer commands are selectively generated to acquire specific subject matter of the clip at times according to a frame number count. Video data is transferred to the display at a real-time transmission rate permitting continuous motion of the video data.
ADVANTAGE - Avoids substantial time delay between selection of multimedia data and playing of the data.

Title Terms/Index Terms/Additional Words: INFORMATION; PROVISION; APPARATUS; STORAGE; UNIT; CLIP; SELECT; USER; CONTINUOUS; SUPPLY; REFERENCE; DATA; DISPLAY

Class Codes
International Classification (Main): H04N-007/00
International Classification (+ Attributes)
IPC + Level Value Position Status Version
G06F-0012/00 A I F R 20060101
G06F-0013/00 A I L R 20060101
G06F-0017/30 A I R 20060101
G06F-0019/00 A I L R 20060101
G06Q-0010/00 A I L R 20060101
G06Q-0030/00 A I L R 20060101
G06Q-0050/00 A I L R 20060101
H04N-0005/91 A I L R 20060101
H04N-0005/93 A I L R 20060101
H04N-0007/16 A I L R 20060101
G06F-0012/00 C I F R 20060101
G06F-0013/00 C I L R 20060101
G06F-0017/30 C I R 20060101
G06F-0019/00 C I L R 20060101
G06Q-0010/00 C I L R 20060101
G06Q-0030/00 C I L R 20060101
G06Q-0050/00 C I L R 20060101
H04N-0005/91 C I L R 20060101
H04N-0005/93 C I L R 20060101
H04N-0007/16 C I L R 20060101
US Classification, Issued: 707502, 345302

File Segment: EPI;
DWPI Class: T01
Manual Codes (EPI/S-X): T01-J05B4F; T01-J30

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...various client terminals can access multimedia data stored at a server computer, or can exchange **electronic mail** items each **consisting of** a set of multimedia data (101) in conjunction with corresponding scenario data, or can post...

...various client terminals can access multimedia data stored at a server computer, or can exchange **electronic mail** items each consisting of a set of **multimedia data** in conjunction with corresponding scenario data, or can post messages on a "notice board" hypertext...
Claims:
...video clip of said hypervideo clip, said scenario data including information specifying times of starting **playing** of respective ones of said monomedia **data** items **other** than said reference **video** clip, **said** starting times being specified in **terms** of frame numbers of said **reference** video clip;</br> means responsive to said operating commands for reading out, from said data storage...

...said hypervideo clip, said scenario data including information specifying times of starting playing of respective **ones** of said monomedia **data** items **other** than said **reference** video clip, said starting times being specified in **terms** of frame numbers of said reference video clip;</br> means responsive to said operating commands for...being

connected by hyperlinks to said hypertext page data, said scenario reference data including storage **location** information for respective scenario data files of said hypervideo clips within second data storage means...

...reference data; second data service means (150), including said second data storage means (151) having **stored** therein data constituting said hypervideo clips, responsive to second data transfer commands for selectively reading...
...clip which has been preassigned as a reference video clip, said scenario data including storage **location** information for said subject matter data files with respect to said second data storage means...

...information including times of starting playing the contents of respective ones of said subject matter **data** files **other** than **said** reference **video** clip, said starting times being specified in **terms** of frame numbers of said reference video clip; data **input** /output means (110) including input means (111) operable by a user for inputting operating commands and data display means (112) for playing a plurality of types of monomedia data **including** at least video **data** and **text** **data**, said operating commands being generated by hyperlink selection from a **page** of hypertext data which is currently being displayed by said data display means (112); information...

16/5/1 (Item 1 from file: 347)
DIALOG(R)File 347:JAPIO

02743466 **Image available**
BACK-UP DEVICE FOR CONSULTATION OF DICTIONARY

PUB. NO.: 01-041066 [JP 1041066 A]
PUBLISHED: February 13, 1989 (**19890213**)
INVENTOR(s): OZAKI MASAHARU
MATSUNAGA YOSHIBUM
APPLICANT(s): FUJI XEROX CO LTD [359761] (A Japanese Company or Corporation), JP (Japan)
APPL. NO.: 62-197219 [JP 87197219]
FILED: August 06, 1987 (19870806)
INTL CLASS: [4] G06F-015/38
JAPIO CLASS: 45.4 (INFORMATION PROCESSING -- Computer Applications); 30.2 (MISCELLANEOUS GOODS -- Sports & Recreation)
JOURNAL: Section: P, Section No. 878, Vol. 13, No. 231, Pg. 121, May 29, 1989 (19890529)

ABSTRACT

PURPOSE: To facilitate dictionary consulting job for translation and to effectively use time by retrieving the divided words out of the dictionary data and inputting the dictionary information into the input document.

CONSTITUTION: An electronic dictionary retrieving device 2 includes an input document analyzing part 22 which divides the document supplied from a communication means for each **word**, a dictionary retrieving part 23 which retrieves the divided **words** out of the dictionary data, and a dictionary information inserting part 24 which inserts the retrieved dictionary information into the input documents. In other **words**, when a dictionary consulting request is received from a terminal equipment 1 by an **electronic mail** in the form of a sentence, the device 2 sends a document added with the dictionary information back to a user by an **electronic mail** in reply to a request. Thus it is possible to consult a dictionary for unknown words in the sentences without consulting the dictionary for each word. As a result, the sentences can be easily understood and the time needed for return of the documents can be effectively utilized.

16/5/2 (Item 1 from file: 350)
DIALOG(R)File 350:Derwent WPIX

0015220044 - Drawing available
WPI ACC NO: 2005-570082/200558
Related WPI Acc No: 2003-247528
XRPX Acc No: N2005-467475
Online information retrieval method involves authenticating user identifier and password input during login of server, before providing requested data to user, and terminating log-in session after completion of data retrieval
Patent Assignee: NEC CORP (NILE)
Inventor: TANAKA M
Patent Family (1 patents, 1 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
US 20050171957	A1	20050804	US 2002162880	A	20020606	200558 B
			US 2005942 05	A	20050331	

Priority Applications (no., kind, date): JP 2001174761 A 20010608

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 20050171957	A1	EN	28	11	Division of application US 2002162880

Alerting Abstract US A1
NOVELTY - A registration screen is provided to user in response to retrieval request. The screen with data entered by user, is transmitted to

server. The identifier (ID) and password are provided to user terminal, after registering user data. The user ID and password input during login of server, is authenticated before providing requested data to user, and the log-in session is terminated after completion of data retrieval.
DESCRIPTION - An INDEPENDENT CLAIM is also included for storage medium storing online information retrieval program
USE - For retrieving information from server, through internet.
ADVANTAGE - Efficiently retrieves information from server using simple technique, with reduced load access, by narrowing-down the information search process during retrieval.
DESCRIPTION OF DRAWINGS - The figure shows a block diagram of the information retrieval registration screen of user terminal.

Title Terms/Index Terms/Additional Words: INFORMATION; RETRIEVAL; METHOD; AUTHENTICITY; USER; IDENTIFY; PASSWORD; INPUT; SERVE; REQUEST; DATA; TERMINATE; LOG; SESSION; AFTER; COMPLETE

Class Codes
International Classification (+ Attributes)
IPC + Level Value Position Status Version
G06F-0017/30 A I R 20060101
G06F-0017/30 C I R 20060101
US Classification, Issued: 707/10

File Segment: EngPI; EPI;
DWPI Class: T01; P15; P53
Manual Codes (EPI/S-X): T01-N02B1B; T01-N03A2; T01-S03

16/3,K/3 (Item 2 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0014564521 - Drawing available
WPI ACC NO: 2004-746479/200473
XRPX Acc No: N2004-589679
Electronic mail device e.g. cellular phone obtains keyword from received mail, and searches for additional information corresponding to obtained keyword, for automatically adding searched additional information to e-mail
Patent Assignee: FUJITSU LTD (FUIT)
Inventor: MASUDA T; TOGAWA Y
Patent Family (2 patents, 2 countries)
Patent Application
Number Kind Date Number Kind Date Update
US 20040199500 A1 20041007 US 2004802863 A 20040318 200473 B
JP 2004334305 A 20041125 JP 2003125561 A 20030430 200477 E

Priority Applications (no., kind, date): JP 2003125561 A 20030403; JP 2003125561 A 20030430

Patent Details
Number Kind Lan Pg Dwg Filing Notes
US 20040199500 A1 EN 25 15
JP 2004334305 A JA 22

Electronic mail device e.g. cellular phone obtains keyword from received mail, and searches for additional information corresponding to obtained keyword, for automatically adding searched additional information to e-mail

Original Titles:
ELECTRONIC MAIL DEVICE AND INFORMATION ADDITION PROGRAM..

... Electronic mail device

Alerting Abstract ...NOVELTY - A keyword extraction unit obtains a keyword from the electronic mail to be processed. A search unit searches for the additional information corresponding to the obtained keyword, from a storage unit stored with candidates for the additional information to the mail. An addition unit automatically adds the searched additional information to the electronic mail. ...USE -

Electronic mail device such as personal computer (PC), cellular phone , personal handy phone system (PHS) and personal digital assistant (PDA..

...DESCRIPTION OF DRAWINGS - The figure shows a block diagram of the electronic mail device.

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
To provide an electronic mail device, an information adding program for an electronic mail and an information adding method for an electronic mail that are capable of saving, when sending the electronic mail , a labor for transmitting the mail by automatically adding information related to a text that is to be transmitted. An input of an electronic mail created by a user is accepted, a keyword is acquired from the electronic mail , additional information corresponding to the keyword is searched for from an additional candidate storage unit stored with candidates for...

...transmitted and received in the past, and the searched additional information is added to the electronic mail.
Claims:
What is claimed is: 1. An electronic mail device comprising: a mail accepting unit accepting an input of an electronic mail as a processing object; a keyword extraction unit obtaining a keyword from the electronic mail ; a search unit searching for additional information corresponding to the keyword from an additional candidate storage unit stored with candidates for the additional information to the mail, etc. processed in the past; and an adding unit adding the searched additional information to the electronic mail as the processing object.

16/3,K/4 (Item 3 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0013568457 - Drawing available
WPI ACC NO: 2003-662789/ 200362
XRPX Acc No: N2003-529031
Electronic mail information processing method involves acquiring information related to existing topic based on weight of characteristic word, from which information related to user's input keyword is searched
Patent Assignee: SAITO M (SAIT-I); SONY CORP (SONY); YAMAMOTO N (YAMA-I)
Inventor: SAITO M; YAMAMOTO N
Patent Family (3 patents, 2 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
US 20030140309	A1	20030724	US 2002316762	A	20021212	200362	B
JP 2003242176	A	20030829	JP 2002147225	A	20020522	200366	E
US 7289982	B2	20071030	US 2002316762	A	20021212	200772	E

Priority Applications (no., kind, date): JP 2001379511 A 20011213; JP 2002147225 A 20020522; US 2002316762 A 20021212

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 20030140309	A1	EN	59	42	
JP 2003242176	A	JA	34		

Electronic mail information processing method involves acquiring information related to existing topic based on weight of characteristic...

Alerting Abstract ...USE - For processing information related to documents of electronic mail .

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
An information processing apparatus is disclosed that presents related information about existing document information and about specific document information. The apparatus includes: an extracting element for extracting first and second characteristic words from respective existing and specific document information; a weight calculating element for calculating first and...

...processing related information about existing document information and specific document information is provided. The apparatus includes: an acquiring element for acquiring the related information corresponding to the existing document information. The acquiring is based on firstly, a first characteristic word extracted by an extracting element, and secondly a first weight modified by a weight modifying...
Claims: Basic Derwent Week: 200362

16/3,K/5 (Item 4 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0013499523 - Drawing available
WPI ACC NO: 2003-592049/ 200356
XRPX Acc No: N2003-471482
E-mail production apparatus generates answer sentence with respect to question sentence which is generated by extracting important sentence related to document text, based on analysis result and inserts answer sentence in document
Patent Assignee: RICOH KK (RICO)
Inventor: ITO A
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
JP 2003203070 A 20030718 JP 2002587 A 20020107 200356 B

Priority Applications (no., kind, date): JP 2002587 A 20020107

Patent Details
Number Kind Lan Pg Dwg Filing Notes
JP 2003203070 A JA 7 4

E-mail production apparatus generates answer sentence with respect to question sentence which is generated by extracting important sentence related to document text, based on analysis result and inserts answer sentence in document

Original Titles:
ELECTRONIC MAIL CREATING DEVICE AND METHOD, AND COMPUTER READABLE RECORDING MEDIUM STORING ELECTRONIC MAIL CREATING PROGRAM

Alerting Abstract ... e-mail generation method; and computer readable storage medium storing e-mail generation program
...

...USE - E-mail production apparatus.
...

...DESCRIPTION OF DRAWINGS - The figure shows the block diagram of the e-mail production apparatus. (Drawing includes non-English language text

Original Publication Data by Authority

Argentina...
Basic Derwent Week: 200356 ...

16/3,K/6 (Item 5 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0013341480 - Drawing available
WPI ACC NO: 2003-429103/ **200340**
Related WPI Acc No: 2003-417377; 2003-417380; 2003-429040; 2003-429105
XRPX Acc No: N2003-342552
Computer readable medium for digital multimedia delivery system, generates content availability notification forms which are routed to user, using content schedule and availability analysis module output
Patent Assignee: ASMUSSEN M L (ASMU-I); DISCOVERY COMMUNICATIONS INC (DISC-N); MCCOSKEY J S (MCCO-I); SWART W D (SWAR-I)
Inventor: ASMUSSEN M L; MCCOSKEY J S; SWART W D
Patent Family (7 patents, 99 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
US 20030028884	A1	20030206	US 2001920723	A	20010803	200340	B
			US 2001977488	A	20011016		
WO 2003034704	A2	20030424	WO 2002US32756	A	20021016	200340	E
EP 1438650	A2	20040721	EP 2002784096	A	20021016	200447	E
			WO 2002US32756	A	20021016		
AU 2002347885	A1	20030428	AU 2002347885	A	20021016	200460	E
MX 2004003394	A1	20040701	WO 2002US32756	A	20021016	200545	E
			MX 2004003394	A	20040412		
JP 2005536077	W	20051124	WO 2002US32756	A	20021016	200581	E
			JP 2003537297	A	20021016		
AU 2002347885	A8	20051013	AU 2002347885	A	20021016	200611	E

Priority Applications (no., kind, date): US 2001920723 A 20010803; US 2001977488 A 20011016

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 20030028884	A1	EN	22	9	C-I-P of application US 2001920723
WO 2003034704	A2	EN			

National Designated States, Original: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW
Regional Designated States, Original: AT BE BG CH CY CZ DE DK EA EE ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SK SL SZ TR TZ UG ZM ZW

EP 1438650	A2	EN	PCT Application WO 2002US32756 Based on CPI patent WO 2003034704	
Regional Designated States, Original: AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI SK TR				
AU 2002347885	A1	EN	Based on CPI patent WO 2003034704	
MX 2004003394	A1	ES	PCT Application WO 2002US32756 Based on CPI patent WO 2003034704	
JP 2005536077	W	JA 33	PCT Application WO 2002US32756 Based on CPI patent WO 2003034704	
AU 2002347885	A8	EN	Based on CPI patent WO 2003034704	

Alerting Abstract 0 ...USE - For providing audible notification, e-mail notification, instant text message, pager and other wireless message, automated telephone notification and on-screen pop-up window or icon, related...

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...that creates an electronic search request. The search request may be augmented by using a content suggestion engine to add additional search terms and descriptions to the search request. The aggregator may also include a decoder that decodes program content and program metadata from remote sources for storage at...
Claims: Basic Derwent Week: **200340**

16/3,K/7 (Item 6 from file: 350)

DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0013164816 - Drawing available
WPI ACC NO: 2003-247734/ **200324**
XRPX Acc No: N2003-196941
Collaborative knowledge management system e.g. for Internet chat rooms, has session manager to receive and buffer data object which is supplied to API server to define set of relationships associated with object
Patent Assignee: PORTRIS INC (PORT-N)
Inventor: HENDERSON C E; KIA O E
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
US 20030009536 A1 20030109 US 2001899534 A 20010706 200324 B

Priority Applications (no., kind, date): US 2001899534 A 20010706

Patent Details
Number Kind Lan Pg Dwg Filing Notes
US 20030009536 A1 EN 17 12

Original Publication Data by Authority
Argentina

Assignee name & address:
Original Abstracts:
...collecting data objects from and providing data objects to respective application programs including, for example, **word processing**, spreadsheet, graphics, **e-mail**, general **ledger**, **ERP** and other programs and utilities. **The data** objects are associated with respective relationships identifying **other data** objects, applications **and users** (whereby users **include**, but are not **limited** to people, machines and software). A set of rules defines how the data objects are...
Claims: Basic Derwent Week: **200324**

16/3,K/8 (Item 7 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0012980618 - Drawing available
WPI ACC NO: 2003-058100/ **200305**
XRPX Acc No: N2003-045116
Spell check method for e-mail composing application, involves comparing entered word to word list and indicating word as correctly spelled word, if match between word and word list is found
Patent Assignee: MICROSOFT CORP (MICT)
Inventor: GHAISAS D; MONTERO J L; REYNAR J
Patent Family (2 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
US 20020143828 A1 20021003 US 2001818157 A 20010327 200305 B
US 7032174 B2 20060418 US 2001818157 A 20010327 200627 E

Priority Applications (no., kind, date): US 2001818157 A 20010327

Patent Details
Number Kind Lan Pg Dwg Filing Notes
US 20020143828 A1 EN 17 10

Spell check method for e-mail composing application, involves comparing entered word to word list and indicating word as correctly spelled...

Alerting Abstract ...Computer readable medium for storing instructions for recognizing correct spelling of word; Spell checker; and E-mail application program for sending **and receiving e-mail** notes.
...
...USE - For **e-mail** composing application in computer system, etc.
...

...The figure shows the block diagram of the word processor, spell checking component and an e-mail.

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
The correct spelling of resolved email names is automatically stored in a custom dictionary. Thereafter, a spell checker will recognize the name during the spell...
...dictionary and the name will not be incorrectly marked as a spelling error. When an email editor resolves an entered email name, the email editor checks an address book or email name cache to determine whether there is an email address and/or an email display name corresponding to the name. The display name will be used to replace the email name that the user entered into the TO field. Once an email name has been resolved and the display name is provided in the TO field, the email editor will make the name available for adding to a custom dictionary. Once the display name string has been added to the custom dictionary, the email editor and any other client of the custom dictionary (e.g., a word processor) will recognize the name as being properly spelled and the name will not be incorrectly identified as a misspelled word. Additionally, the display name string can be added to any other repository of text strings, such as an auto-completion database and a smart-tags database...

...The correct spelling of resolved email names is automatically stored in a custom dictionary. Thereafter, a spell checker will recognize the name during the spell checking process, because the name...

...dictionary and the name will not be incorrectly marked as a spelling error. When an email editor resolves an entered email name, the email editor checks an address book or email name cache to determine whether there is an email address and/or an email display name corresponding to the name. The display name will be used to replace the email name that the user entered into the TO field. Once an email name has been resolved and the display name is provided in the TO field, the email editor will make the name available for adding to a custom dictionary. Once the display name string has been added to the custom dictionary, the email editor and any other client of the custom dictionary (e.g., a word processor) will recognize the name as being properly spelled and the name will not be incorrectly identified as a misspelled word. Additionally, the display name string can be added to any other repository of text strings, such as an auto-completion database and a smart-tags database.
Claims:
...is: 1. A method for recognizing the correct spelling of a word associated with an email application, the method comprising: receiving an indication that an email name has been entered into a first field; resolving the email name to a display name, automatically adding the display name to a custom dictionary and at least one module consisting essentially of a spell checker module, auto-completion module, and a smart-tags module if the display name is identified as a new word; receiving an indication that text...
Basic Derwent Week: 200305

16/3,K/9 (Item 8 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0012893303 - Drawing available
WPI ACC NO: 2002-752842/ 200282
XRPX Acc No: N2002-592899
Information extracting system for voice mail system, extracts matching symbols, numbers, letters and words corresponding to phrases to be identified in voice mail message
Patent Assignee: HORVATH S (HORV-I); KASVAND T (KASV-I); MITEL KNOWLEDGE CORP (MITLC); MITEL NETWORKS CORP (MITLC)
Inventor: HORVATH S; KASVAND T

Patent Family (6 patents, 3 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
GB 2373670	A	20020925	GB 20016960	A	20010320	200282	B
CA 2375410	A1	20020920	CA 2375410	A	20020308	200282	E
US 20020196910	A1	20021226	US 2002101083	A	20020318	200304	E
US 6785367	B2	20040831	US 2002101083	A	20020318	200457	NCE
CA 2375410	C	20050906	CA 2375410	A	20020308	200560	E
GB 2373670	B	20050921				200563	E

Priority Applications (no., kind, date): GB 20016960 A 20010320; US 2002101083 A 20020318

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
GB 2373670	A	EN	18	4	
CA 2375410	A1	EN			
CA 2375410	C	EN			

Original Titles:
Method and apparatus for extracting voiced telephone numbers and email addresses from voice mail messages...

...Method and apparatus for extracting voiced telephone numbers and email addresses from voice mail messages...

...Method and apparatus for extracting voiced telephone numbers and email addresses from voice mail messages

Alerting Abstract ...ADVANTAGE - Enables user to extract telephone numbers and e-mail addresses from voice mail message without replaying voice mail message, by extracting matching symbols, numbers...

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
The present invention relates to a system for automatically identifying enunciation of telephone numbers and email addresses in voice mail messages for presentation to a user via either voice or text, without the user being required to replay the message. Furthermore, according to the invention the extracted telephone number or email addresses may be forwarded to an application for further processing (e.g. to dial the extracted number, add the email address and/or telephone number to a contacts database, etc.) The user may specify text strings to be searched (other than telephone numbers and email addresses). Thus, a user can specify certain words such as "extension", "email", etc., in order to qualify the extracted number or email address information, or words such as "urgently" or "immediately" to identify important voice mail messages...

...The present invention relates to a system for automatically identifying enunciation of telephone numbers and email addresses in voice mail messages for presentation to a user via either voice or text, without the user being required to replay the message. Furthermore, according to the invention the extracted telephone number or email addresses may be forwarded to an application for further processing (e.g. to dial the extracted number, add the email address and/or telephone number to a contacts database, etc.) The user may specify text strings to be searched (other than telephone numbers and email addresses). Thus, a user can specify certain words such as "extension", "email", etc., in order to qualify the extracted number or email address information, or words such as "urgently" or "immediately" to identify important voice mail messages.
Claims: Basic Derwent Week: 200282

16/3,K/10 (Item 9 from file: 350)
DIALOG(R)File 350:Derwent WPIX

0012793299 - Drawing available
WPI ACC NO: 2002-649089/ **200270**
XRPX Acc No: N2002-513702
E - mail **method through mobile telephone, involves preparing** e - mail **consisting of text data corresponding to audio input and appended data of format other than text data**
Patent Assignee: FUJITSU GENERAL LTD (GENH)
Inventor: FUJIWARA N
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
JP 2002218092 A 20020802 JP 200111487 A 20010119 200270 B

Priority Applications (no., kind, date): JP 200111487 A 20010119

Patent Details
Number Kind Lan Pg Dwg Filing Notes
JP 2002218092 A JA 11 5

E - mail **method through mobile telephone, involves preparing** e - mail **consisting of text data corresponding to audio input and appended data of format other than...**

Alerting Abstract ...recognizer which recognizes text data corresponding to input audio signal. A processor (20) prepares an **e - mail** which consists of the text data appended with mail data such as word processor data and spread sheet data. A memory (21) stores the **e - mail** for transmission. DESCRIPTION - An INDEPENDENT CLAIM is included for **e - mail** device...

...USE - For transmitting or receiving **e - mail** using mobile telephone through communication network...

...ADVANTAGE - Enables transmitting and receiving **e - mail** which includes mail data such as **word** processor **data** of format **other** than **text** mail...

...DESCRIPTION OF DRAWINGS - The figure shows the block diagram of **e - mail** device. (Drawing includes non-English language text...

Original Publication Data by Authority

Argentina...
Basic Derwent Week: **200270** ...

16/3,K/11 (Item 10 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0012771139 - Drawing available
WPI ACC NO: 2002-625102/ **200267**
Method for automatically transmitting corresponding keyword to user e - mail **and for repeat learning**
Patent Assignee: LEE S W (LEES-I)
Inventor: LEE S W
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
KR 2002025612 A 20020404 KR 200057546 A 20000929 200267 B

Priority Applications (no., kind, date): KR 200057546 A 20000929

Patent Details
Number Kind Lan Pg Dwg Filing Notes
KR 2002025612 A KO 1 10

Method for automatically transmitting corresponding keyword to user e - mail **and for repeat learning**

Alerting Abstract ...NOVELTY - A method for automatically transmitting

corresponding keyword to user e-mail and for repeat learning is provided to construct a search learning program in the education... DESCRIPTION - Related data having a high-quality accessing property with respect to a misspell word and a misprinted spelling may be searched based on a large quantity of databases. A manager operating system capable of appending, deleting, and changing related data is provided when new data are inputted or a regulation/item is changed. When a word/phrase is searched on an Internet web page, orthography and a spacing word regulation with respect...

Original Publication Data by Authority

Argentina...
Basic Derwent Week: 200267 ...

16/3,K/12 (Item 11 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0012248624 - Drawing available
WPI ACC NO: 2002-188443/200224
XRPX Acc No: N2002-142883
Computerized dating agency for marriages has view confirming ability
Patent Assignee: KINOS (KINO-I)
Inventor: KINOS
Patent Family (5 patents, 27 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
WO 2002003279	A1	20020110	WO 2001JP5750	A	20010702	200224	B
AU 200169431	A	20020114	AU 200169431	A	20010702	200237	E
EP 1316902	A1	20030604	EP 2001947797	A	20010702	200337	E
			WO 2001JP5750	A	20010702		
US 20030144870	A1	20030731	WO 2001JP5750	A	20010702	200354	E
			US 2002312815	A	20021231		
JP 2002507276	X	20031007	WO 2001JP5750	A	20010702	200368	E
			JP 2002507276	A	20010702		

Priority Applications (no., kind, date): JP 2000237767 A 20000701

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
WO 2002003279	A1	JA	53	12	
National Designated States, Original:					AU CA CN DE ES GB JP NZ RU US
Regional Designated States, Original:					AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
AU 200169431	A	EN			Based on CPI patent WO 2002003279
EP 1316902	A1	EN			PCT Application WO 2001JP5750
					Based on CPI patent WO 2002003279
Regional Designated States, Original:					AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR
US 20030144870	A1	EN			PCT Application WO 2001JP5750
JP 2002507276	X	JA			PCT Application WO 2001JP5750
					Based on CPI patent WO 2002003279

Original Publication Data by Authority

Argentina

Assignee name & address:
Claims:
...information, to input a sense of world and view of values of the member by sentences; and storing the input sentences; urging the member, who is in the process of inputting self information, to input other information on the member; and storing the input information; urging a business operator to add an alternative question for urging the member, who is in the process of searching members...

...input as the senses of world and views of values; and outputting the alternative question added to the sentences; urging the member to answer the alternative question; reading other information on the member of the opposite sex if it is determined that the answer of the

member is correct; and...

...the solution or the like and the translation to the desired destination over a predetermined **e - mail**. Basic Derwent Week: **200224**

16/3,K/13 (Item 12 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0010977195
WPI ACC NO: 2001-601390/ **200168**
Related WPI Acc No: 2002-187499; 2002-224023
XRPX Acc No: N2001-448608
Computer implementation for retrieval and analysis of evidence stored in computer readable media, involves copying located investigator interested internet related identifiers with related information to output file
Patent Assignee: NEWTECHNOLOGIES ARMOR INC (NEWT-N)
Inventor: ANDERSON M R
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
US 6279010 B1 20010821 US 199893353 P 19980720 200168 B
US 1999228700 A 19990112

Priority Applications (no., kind, date): US 199893353 P 19980720; US 1999228700 A 19990112

Patent Details
Number Kind Lan Pg Dwg Filing Notes
US 6279010 B1 EN 17 8 Related to Provisional US 199893353
Alerting Abstract ...computer-readable media. A greatly reduced amount of information containing only investigative information such as **e - mail** address, uniform resource located (URL) and file name is presented to an investigator.

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...that is, the system writes output when only when certain characters appear in the ambient **data** within a specified proximity to **other** characters. The characters can **include** including symbols, abbreviations, or words, specified either individually or on a pre-compiled list. Exclusionary rules can also eliminate firewall...
Claims: Basic Derwent Week: **200168**

16/3,K/14 (Item 13 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0010823837 - Drawing available
WPI ACC NO: 2001-441041/ **200147**
XRPX Acc No: N2001-326277
Internet protocol address providing system for data resource in network, has server which stores Internet protocol address and identifying factor for data resource
Patent Assignee: WEB2P INC (WEBT-N)
Inventor: FROMMA; SAGI M
Patent Family (2 patents, 91 countries)
Patent Application
Number Kind Date Number Kind Date Update
WO 2001014985 A1 20010301 WO 2000US21070 A 20000803 200147 B
AU 200065115 A 20010319 AU 200065115 A 20000803 200147 E

Priority Applications (no., kind, date): US 1999382799 A 19990825

Patent Details
Number Kind Lan Pg Dwg Filing Notes

WO 2001014985 A1 EN 35 4
National Designated States, Original: AE AG AL AM AT AU AZ BA BB BG BR BY
BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN
IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ
PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
Regional Designated States, Original: AT BE CH CY DE DK EA ES FI FR GB GH
GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TZ UG ZW
AU 200065115 A EN Based on CPI patent WO 2001014985

Alerting Abstract ...the data resource, has IP address and is connected to Internet (34). The identifying factor includes a symbolic name or keyword related to the data resource. The requesting software interface is a web browser or FTP client. An INDEPENDENT CLAIM...

...USE - For registering data resource through Internet, intranet, extranet, for providing e-mail services, FTP services...

Original Publication Data by Authority

Argentina Basic Derwent Week: 200147

16/3,K/15 (Item 14 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0010115482 - Drawing available
WPI ACC NO: 2000-423070/ 200036
XRPX Acc No: N2000-315725
Natural language database forming method involves forming object comprising syntactic and semantic information from each tagged word of text information and placing formed object oriented relational database
Patent Assignee: LEXEME CORP (LEXE-N)
Inventor: CLIPPINGER J H; INGRIA R; PUSTEJOVSKY J D
Patent Family (3 patents, 88 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
WO 2000033216	A1	20000608	WO 1999US28226	A	19991129	200036	B
AU 200019263	A	20000619	AU 200019263	A	19991129	200044	E
EP 1151401	A1	20011107	EP 1999962917	A	19991129	200168	E
			WO 1999US28226	A	19991129		

Priority Applications (no., kind, date): US 1998110190 P 19981130; US 1999163345 P 19991103; US 1999433630 A 19991103

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
WO 2000033216	A1	EN	36	2	

National Designated States, Original: AE AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK DM EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
Regional Designated States, Original: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW NL OA PT SD SE SL SZ TZ UG ZW
AU 200019263 A EN Based on CPI patent WO 2000033216
EP 1151401 A1 EN PCT Application WO 1999US28226
Based on CPI patent WO 2000033216
Regional Designated States, Original: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI

Alerting Abstract ...NOVELTY - The text information containing related words received from publications, e-mail, newspapers, news feeds is provided. Each word of text information is tagged. An object comprising...

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
A natural language database forming method. The method includes providing text information (103) comprising a plurality of related

words . A step of tagging (107) each word in the text information is also included. The method forms an object (125) that has syntactic information and semantic...

...A natural language database forming method. The method includes providing text information (103) comprising a plurality of related words . A step of tagging (107) each word in the text information is also included . The method forms an object (125) that has syntactic information and semantic information from each word in the text information. The object is placed or mapped into an object oriented relational...
Claims: Basic Derwent Week: 200036

16/3,K/16 (Item 15 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0010049471 - Drawing available
WPI ACC NO: 2000-354915/ 200031
XRPX Acc No: N2000-266019
Similar information discrimination assistance apparatus classifies similarity between information based on similarity of each evaluation unit
Patent Assignee: FUJI XEROX CO LTD (XERP)
Inventor: FUKUSHIMA H; KATSURABAYASHI H
Patent Family (2 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
JP 2000112949 A 20000421 JP 1998276313 A 19980930 200031 B
JP 3921837 B2 20070530 JP 1998276313 A 19980930 200737 E

Priority Applications (no., kind, date): JP 1998276313 A 19980930

Patent Details
Number Kind Lan Pg Dwg Filing Notes
JP 2000112949 A JA 15 20
JP 3921837 B2 JA 21 Previously issued patent JP 2000112949

Alerting Abstract ...the content of entire information group is evaluated as pricing vector (4b), during analysis of keyword group for every evaluation unit. The mutually similar information is classified and displayed suitably. An INDEPENDENT CLAIM is also included for similar information discrimination assistance program...

...USE - For classification of various information obtained from information retrieval service, electronic mail , electronic newspaper, etc in Internet...

Original Publication Data by Authority

Argentina...
Basic Derwent Week: 200031 ...

16/3,K/17 (Item 16 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0008875694 - Drawing available
WPI ACC NO: 1998-423711/ 199836
XRPX Acc No: N1998-331008
E-mail reception guiding method - involves extracting information related to user from various information included in E-Mail based on predetermined guide rule
Patent Assignee: NIPPON TELEGRAPH & TELEPHONE CORP (NITE)
Inventor: ASANO H; KATO T; TAKAGI S
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
JP 10177529 A 19980630 JP 1997207000 A 19970801 199836 B

Priority Applications (no., kind, date): JP 1996276612 A 19961018

Patent Details
Number Kind Lan Pg Dwg Filing Notes
JP 10177529 A JA 12 11

E - mail reception guiding method...
...involves extracting information related to user from various information included in E - Mail based on predetermined guide rule

Original Titles:
ELECTRONIC INCOMING GUIDANCE METHOD AND DEVICE THEREFOR, AND STORAGE MEDIUM STORING ELECTRONIC MAIL INCOMING GUIDANCE PROGRAM

Alerting Abstract ...The method involves extracting the information related to the user, from various information included in E - mail based on predetermined guide rule. Then sentence generation is carried out corresponding to the extracted information and it is displayed...

Original Publication Data by Authority

Argentina...
Basic Derwent Week: 199836 ...

16/3,K/18 (Item 17 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0008706571 - Drawing available
WPI ACC NO: 1998-246980/ 199822
XRPX Acc No: N1998-195670
Electronic mail system with provision for voice output - displays attribute information of electronic mail in terminal and also outputs attribute information through telephone
Patent Assignee: NIPPON TELEGRAPH & TELEPHONE CORP (NITE)
Inventor: ASANO H; ICHII A; MATSUOKA K; TAKAGI S
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
JP 10078923 A 19980324 JP 1996234522 A 19960904 199822 B

Priority Applications (no., kind, date): JP 1996234522 A 19960904

Patent Details
Number Kind Lan Pg Dwg Filing Notes
JP 10078923 A JA 11 14

Electronic mail system with provision for voice output...
...displays attribute information of electronic mail in terminal and also outputs attribute information through telephone

Original Titles:
ELECTRONIC MAIL SYSTEM

Alerting Abstract ...The system includes a reception processing unit that isolates the header of an electronic mail . A header extraction unit extracts the text in the header. An attribute information extract keyword ...

...A text analyzer (45) analyses the text of the header, to acquire a word information. An updating unit (50) adds the expanded attribute information to the header. A receiving mail box stores the electronic along with the attribute information. A terminal (8) displays the attribute information and the electronic mail information. The information is output to a telephone (95...

...ADVANTAGE - Enables displaying attribute information of electronic mail . Outputs attribute information through telephone easily. Eases identification of emergency mail.
Original Publication Data by Authority

Argentina...

Basic Derwent Week: **199822** ...

16/3,K/19 (Item 18 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0007955480 - Drawing available
WPI ACC NO: 1997-045399/ **199705**
Related WPI Acc No: 1997-135129
XRPX Acc No: N1997-037726
Data processing apparatus e.g. for speech recognition engine output - displays recognised words or characters which are stored as file with corresponding audio data, with link data formed to link position of words or characters in file and position of corresponding audio component
Patent Assignee: ALLVOICE COMPUTING PLC (ALLV-N)
Inventor: CORBETT S N; DANIEL N J; HEARD A J; MITCHELL J C
Patent Family (9 patents, 7 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
GB 2302199	A	19970108	GB 199619932	A	19960924	199705	B
GB 2302199	B	19970514	GB 199619932	A	19960924	199722	E
WO 1998013754	A2	19980402	WO 1997GB2591	A	19970924	199820	E
AU 199743138	A	19980417	AU 199743138	A	19970924	199834	E
US 5799273	A	19980825	US 1996720373	A	19960927	199841	NOE
US 5857099	A	19990105	US 1996720373	A	19960927	199909	NOE
			US 1997896105	A	19970717		
US 20020099542	A1	20020725	WO 1997GB2591	A	19970924	200254	E
			US 1999275287	A	19990324		
			US 2002100546	A	20020318		
US 6961700	B2	20051101	WO 1997GB2591	A	19970924	200571	E
			US 1999275287	A	19990324		
			US 2002100546	A	20020318		
US 20060129387	A1	20060615	US 1996720373	A	19960927	200640	E
			US 1997896105	A	19970717		
			WO 1997GB2591	A	19970924		
			US 1999275287	A	19990324		
			US 2002100546	A	20020318		
			US 2005169165	A	20050628		

Priority Applications (no., kind, date): US 1997896105 A 19970717; US 1996720373 A 19960927; GB 199619932 A 19960924

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
GB 2302199	A	EN	111	15	
WO 1998013754	A2	EN	100	15	
National Designated States,Original: AU CA CN JP NZ US					
AU 199743138	A	EN			Based on CPI patent WO 1998013754
US 5857099	A	EN			Division of application US 1996720373
US 20020099542	A1	EN			Continuation of application WO 1997GB2591
					Division of application US 1999275287
US 6961700	B2	EN			Continuation of application WO 1997GB2591
					Division of application US 1999275287
US 20060129387	A1	EN			Division of application US 1996720373
					Continuation of application US 1997896105
					Continuation of application WO 1997GB2591
					Division of application US 1999275287
					Continuation of application US 2002100546
					Division of patent US 5799273
					Continuation of patent US 5857099
					Continuation of patent US 6961700

Alerting Abstract ...USE/ADVANTAGE - E.g. word processors, presentation applications, spreadsheet applications, electronic mail and CAD applications etc. Permits processing of recognised words or characters without losing audio data...

Original Publication Data by Authority

Argentina

Assignee name & address:
Claims:
...to allow processing of the recognised words as input text, including changing positions of the recognised words; andmeans, independent of the computer-related application, for determining positions of the recognised words in the computer-related application.

24/3,K/2 (Item 2 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2008 JPO & JAPIO. All rts. reserv.

07663359 **Image available**
PORTABLE TELEPHONE SET AND COMMUNICATION TERMINAL DEVICE HAVING NUISANCE MAIL AUTOMATIC ELIMINATING FUNCTION

PUB. NO.: 2003-157218 [JP 2003157218 A]
PUBLISHED: May 30, 2003 (20030530)
INVENTOR(s): NAKA YUTAKA
SENOO JUNYA
NAKADA TAKESHI
APPLICANT(s): FUNAI ELECTRIC CO LTD
APPL. NO.: 2001-357076 [JP 2001357076]
FILED: November 22, 2001 (20011122)

ABSTRACT
... like and also to prevent needed received mail from being erroneously eliminated.

SOLUTION: Keywords for **automatically** eliminating mail assumed to be **included** in the text of received mail and the number of the keywords are set in advance (#3). When **electronic mail** (**e-mail**) is received (YES in #7), the received **e-mail** is stored in a memory (#8), and it is **checked** whether **keywords** are included equally to or more than the set number of keywords in its text...

24/3,K/3 (Item 1 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0015349280 - Drawing available
WPI ACC NO: 2005-699539/200572
Related WPI Acc No: 2005-457186; 2006-087895
XRPX Acc No: N2005-573810
Resolution list populating method for electronic mail system, involves tracking contact information, and resolving contact entries by providing specific contact entry from maintained list based on weight of each entry
Patent Assignee: MICROSOFT CORP (MICT)
Inventor: CORTRIGHT D S; GREVIER D W; FULLERTON M W; CONNOR J J; SPENCER J E; TAFOYA J E
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
US 6952805 B1 20051004 US 2000556223 A 20000424 200572 B

Priority Applications (no., kind, date): US 2000556223 A 20000424

Patent Details
Number Kind Lan Pg Dwg Filing Notes
US 6952805 B1 EN 19 6
Resolution list populating method for electronic mail system, involves tracking contact information, and resolving contact entries by providing specific contact entry from..

Alerting Abstract USE - Used for populating a resolution list with contact information in an **electronic mail** system..

...210 **Electronic mail** store...

...220 **Electronic mail**
...

...240 Received **email**
...

...250 Sent **email**

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...of the present invention automatically provides dynamically generated completion information for facilitating user input of email addresses or contact information. This completion information is developed from a "data store" comprised of multiple data sources such as previously sent or received email, and other types of electronic files such as word processor or spreadsheet files. The present invention monitors and uses the information in the data store to automatically store, track, maintain, and organize data entries in a dynamic "resolution list". As a user begins to input an email address or contact, the present invention can either automatically complete the entry using a most probable result from the...

...can display a list of likely matches from which the user may select the desired email address or contact.
Claims:
1. An electronic contact resolution method, comprising: automatically extracting contact information from any of a plurality of file types included in a data store, said data store including at least one of word processor files, spreadsheet files, and presentation files; wherein extracting the contact information includes automatically examining the complete contents of one or more of the files in the data store and extracting any contact information located...

24/3,K/4 (Item 2 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0015107707 - Drawing available
WPI ACC NO: 2005-457186/200546
Related WPI Acc No: 2005-699539; 2006-087895
XRPX Acc No: N2005-371742
Electronic contact resolution method for communication, involves computing weight for each contact entry in list, tracking contact information associated with entry and resolving contact entries based on weight of each entry
Patent Assignee: CORTRIGHT D S (CORT-I); CREVIER D W (CREV-I); FULLERTON M W (FULL-I); OCONNOR J J (OCON-I); SPENCER J E (SPEN-I); TAFOYA J E (TAFO-I)
Inventor: CORTRIGHT D S; CREVIER D W; FULLERTON M W; OCONNOR J J; SPENCER J E; TAFOYA J E
Patent Family (1 patents, 1 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
US 20050131888	A1	20050616	US 2000556223	A	20000424	200546 B
			US 2005156	A	20050202	

Priority Applications (no., kind, date): US 2000556223 A 20000424; US 2005156 A 20050202

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 20050131888	A1	EN	20	6	Continuation of application US 2000556223

Alerting Abstract ...NOVELTY - A contact information is extracted from word processor files, spreadsheet files and presentation files contained in data store. A list of contact...
...USE - For performing resolution of electronic contact such as user email address used for communication...

Original Publication Data by Authority

Argentina

Assignee name & address:

Original Abstracts:
...of the present invention automatically provides dynamically generated completion information for facilitating user input of email addresses or contact information. This completion information is developed from a "data store" comprised of multiple data sources such as previously sent or received email, and other types of electronic files such as word processor or spreadsheet files. The present invention monitors and uses the information in the data store to automatically store, track, maintain, and organize data entries in a dynamic "resolution list". As a user begins to input an email address or contact, the present invention can either automatically complete the entry using a most...

...can display a list of likely matches from which the user may select the desired email address or contact.
Claims:
...one of word processor files, spreadsheet files, and presentation files; wherein extracting the contact information includes automatically examining the complete contents of one or more of the files in the data store...

24/3,K/5 (Item 3 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0014689301 - Drawing available
WPI ACC NO: 2005-036889/200504
Related WPI Acc No: 2005-384541
XRPX Acc No: N2005-032254
Method for providing automatically generated completion information through user interface involves adding contact information extracted from items within data store and entries generated from contact information, to dynamic list
Patent Assignee: MICROSOFT CORP (MICT)
Inventor: CORTRIGHT D S; CREVIER D W; FULLERTON M W; COCNNOR J J; TAFOYA J E
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
US 6829607 B1 20041207 US 2000557493 A 20000424 200504 B

Priority Applications (no., kind, date): US 2000557493 A 20000424

Patent Details
Number Kind Lan Pg Dwg Filing Notes
US 6829607 B1 EN 19 6
Method for providing automatically generated completion information through user interface involves adding contact information extracted from items within data store and entries generated from contact information, to ...

Alerting Abstract ...USE - For automatically providing generated completion information in real time with entries such as e-mail address, contact information to user.

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...of the present invention automatically provides dynamically generated completion information for facilitating user input of email addresses or contact information. This completion information is developed from a "data store" comprised of multiple data sources such as previously sent or received email, and other types of electronic files such as word processor or spreadsheet files. The present invention monitors and uses the information in the data store to automatically store, track, maintain, and organize data entries in a dynamic "resolution list". As a user begins to input an email address or contact, the present invention can either automatically complete the entry using a most probable result

from the...

...can display a list of likely matches from which the user may select the desired email address or contact.
Claims:
...documents including one or more of word processor files, spreadsheet files, and presentation files; analyzing and extracting contact information from the contents of items within the data store; adding the contact information...

24/3,K/6 (Item 4 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0014542426 - Drawing available
WPI ACC NO: 2004-724380/200471
XRPX Acc No: N2004-574756
Keyword extracting device for automatic application executing device, converts character string extracted from audio data, into character string of predetermined length, and corrects converted string so as to generate keyword
Patent Assignee: CLARION CO LTD (CLAQ)
Inventor: ONOZAKI K
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
JP 2004295805 A 20041021 JP 200390463 A 20030328 200471 B

Priority Applications (no., kind, date): JP 200390463 A 20030328

Patent Details
Number Kind Lan Pg Dwg Filing Notes
JP 2004295805 A JA 7 2

Keyword extracting device for automatic application executing device, converts character string extracted from audio data, into character string of predetermined length, and corrects converted string so as to generate keyword

Original Titles:
KEYWORD EXTRACTION DEVICE AND AUTOMATIC APPLICATION STARTING DEVICE

Alerting Abstract ...NOVELTY - An extraction unit (203) performs speech recognition of audio data, and extracts specific character string. A speech recognition unit converts extracted string, into character string of predetermined length. A correction unit corrects the character string and generates a keyword. DESCRIPTION - An INDEPENDENT CLAIM is also included for automatic application executing device...

...USE - For extracting keyword such as electronic - mail address of uniform resource locator (URL) of hypertext transfer protocol (HTTP) in automatic application executing...

...ADVANTAGE - The keyword is extracted from audio data, efficiently...

...DESCRIPTION OF DRAWINGS - The figure shows the block diagram of the automatic application executing device. (Drawing includes non-English language text...

...200 keyword extracting device...

...203 character string extraction unit...

...204 keyword extraction unit...

Original Publication Data by Authority

Argentina

24/3,K/7 (Item 5 from file: 350)

DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0014409915 - Drawing available
WPI ACC NO: 2004-599750/200458
XRPX Acc No: N2004-474953
Spam mail automatic interruption method involves filtering received electronic mail as spam mail, when predetermined SPAM keyword exists in web page extracted, depending on uniform resource locator information
Patent Assignee: DEEPSOFT CO (DEEP-N)
Inventor: AHN J G; HA J H; KAN S; KANG S H; HAH J H
Patent Family (3 patents, 2 countries)
Patent Application
Number Kind Date Number Kind Date Update
JP 2004240945 A 20040826 JP 2003159848 A 20030604 200458 B
KR 2004072059 A 20040818 KR 20037982 A 20030208 200481 E
KR 486821 B 20050429 KR 20037982 A 20030208 200680 E

Priority Applications (no., kind, date): KR 20037982 A 20030208

Patent Details
Number Kind Lan Pg Dwg Filing Notes
JP 2004240945 A JA 10 4
KR 486821 B KO Previously issued patent KR 2004072059

Spam mail automatic interruption method involves filtering received electronic mail as spam mail, when predetermined SPAM keyword exists in web page extracted, depending on uniform resource locator information

Alerting Abstract ...NOVELTY - The dynamic uniform resource locator (URL) information included in the received **electronic - mail** (**e - mail**) is extracted, and a web page related to the extracted URL is opened. The dynamic...
USE - For automatic interruption of spam mails such as illegal advertisements, invitation, etc., received with **e - mail**.
...

...DESCRIPTION OF DRAWINGS - The figure shows the flowchart explaining spam mail **automatic** interruption process steps. (Drawing **includes** non-English language text).

Original Publication Data by Authority

Argentina

24/3,K/8 (Item 6 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0014040242 - Drawing available
WPI ACC NO: 2004-222421/200421
Customer relationship management system and method using communication network
Patent Assignee: LEE S Y (LEES-I)
Inventor: LEE S Y
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
KR 2003088014 A 20031115 KR 200375772 A 20031029 200421 B

Priority Applications (no., kind, date): KR 200375772 A 20031029

Patent Details
Number Kind Lan Pg Dwg Filing Notes
KR 2003088014 A KO 1 10

Alerting Abstract ...a method for the same are provided to automatically select a honorific and an auxiliary **word** of an **extracted sentence** to be written on an editing tool according to diverse titles set by the customer....an information transmitting tool set by the customer from an

SMS(Short Message Service), an e-mail, and a facsimile. A customer management server(300) includes a schedule management module(310) and an automatic setting module(320), and inputs the congratulation message written by the automatic setting module to...

Original Publication Data by Authority

Argentina

24/3,K/9 (Item 7 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0013261802 - Drawing available
WPI ACC NO: 2003-347574/200333
XRPX Acc No: N2003-278050
Remote monitoring system of rental construction vehicle, detects position of construction vehicle in designated area of displayed map and displays mark showing position of vehicle, on map
Patent Assignee: ABE N (ABEN-I); BIGRENTAL CO LTD (BIGR-N); BIKKU RENTAL KK (BIKK-N); KOMATSU KK (KOMS); KOMATSU SEISAKUSHO KK (KOMS); SHIKE C (SHIK-I)
Inventor: ABE N; SHIKE C; YOTSUYA C
Patent Family (3 patents, 2 countries)
Patent Application
Number Kind Date Number Kind Date Update
JP 2003085306 A 20030320 JP 2001274118 A 20010910 200333 B
US 20030074134 A1 20030417 US 2002237981 A 20020910 200333 E
US 6879910 B2 20050412 US 2002237981 A 20020910 200525 E

Priority Applications (no., kind, date): JP 2001274118 A 20010910

Patent Details
Number Kind Lan Pg Dwg Filing Notes
JP 2003085306 A JA 61 80

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...forth, on the construction vehicles being rented and relays such information in the form of electronic mail, for example, to the rental company system as required or periodically. The rental company system displays construction vehicles by...

...forth, on the construction vehicles being rented and relays such information in the form of electronic mail, for example, to the rental company system as required or periodically. The rental company system displays construction vehicles by means of marks in the...
Claims:
...comprising: region designating means for designating a region; map displaying means for displaying a map including the designated region; position detecting means for automatically detecting the position(s) of one or a plurality of remotely located objects; object selecting means for selecting an object...

...comprising: region designating means for designating a region; map displaying means for displaying a map including the designated region; position detecting means for automatically detecting a position of one of the plurality of remotely located construction machines; object selecting...

...mark displayed on said map and corresponding to a desired base and, (b) a user-adjusted range that is specified in terms of distance from said desired base.

24/3,K/10 (Item 8 from file: 350)
DIALOG(R)File 350:Derwent WPIX

0012831311 - Drawing available
WPI ACC NO: 2002-689398/200274
XRPX Acc No: N2002-543690
Language identification method for e-mail text, query hits, involves comparing probability values which are normalized ratio of frequencies at which suffixes occurs in language corpus
Patent Assignee: NOVELL INC (NOVE-N)
Inventor: VAN DEN AKKER D
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
US 6415250 B1 20020702 US 1997878264 A 19970618 200274 B

Priority Applications (no., kind, date): US 1997878264 A 19970618

Patent Details
Number Kind Lan Pg Dwg Filing Notes
US 6415250 B1 EN 25 10

Language identification method for e-mail text, query hits, involves comparing probability values which are normalized ratio of frequencies at which...

Alerting Abstract ...NOVELTY - A suffix with at least three characters at the end of a **word** is **extracted**. The probability values, which are normalized ratios of a frequencies at which the suffix occurs...

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...within each language corpus corresponding to one of the plurality of represented languages. Specifically, the **automatic** language identification system **includes** a language corpus analyzer that generates, for each of a plurality of **word** endings **extracted** from at least one of the language corpuses, a plurality of probabilities associated with the...
Claims:
...plurality of languages represented by a language corpus, the method comprising the steps of: a) **parsing** a **word** from **the** language **corpus**; b) **extracting** all suffixes from said **parsed words**, said suffixes being a **last three** characters of a **word**; c) updating a suffix frequency **list** corresponding to the language corpus with said **extracted** suffix and a normalized frequency of occurrence of said extracted suffix in said corresponding language...

24/3,K/11 (Item 9 from file: 350)
DIALOG(R)File 350:Derwent WPIX

0009966887 - Drawing available
WPI ACC NO: 2000-269171/200023
XRPX Acc No: N2000-201374
Method for labeling data records for use in an electronic mail messaging system
Patent Assignee: DIGITAL EQUIP CORP (DIGI)
Inventor: BIRRELL A D; SCHROEDER M; WOBBER E P
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
US 6029164 A 20000222 US 1997876600 A 19970616 200023 B

Priority Applications (no., kind, date): US 1997876600 A 19970616

Patent Details
Number Kind Lan Pg Dwg Filing Notes
US 6029164 A EN 19 10

Method for labeling data records for use in an electronic mail messaging system
Original Titles:
Method and apparatus for organizing and accessing electronic mail messages using labels and full text and label indexing.

Alerting Abstract ...NOVELTY - The data records are received into an index server (250). The records are parsed into words and the words are stored in a full text index. Labels are added to the data records and ...
USE - For electronic mail messaging in a distributed computer system..

...ADVANTAGE - An inbox label is automatically added when a particular message is received. Overcomes unsatisfactory aspects of accessing mail over a low...

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...for labeling data records, data records are received in an index server. The records are parsed into words , and the words are stored in a full-text index. Labels are added to the data records and...
Claims:
A computerized method for labeling data records, comprising:receiving data records in an index server; parsing the data records into words ; storing the words in a full -text index; automatically , when the data records are received, adding labels to the data records and the full-text index ;accessing the data records by searching the full-text index using queries including the words and the labels of the data records; and automatically , when one of the accessed records is processed by a user in a predefined manner for...

24/3,K/12 (Item 10 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0009339463 - Drawing available
WPI ACC NO: 1999-271968/199923
XRPX Acc No: N1999-203533
Application data generation method for data processor using e.g. schedule application, memorandum application - involves choosing character information from displayed sentence, setting attribute for selected character information, and forwarding selected character information to place based on set attribute
Patent Assignee: KUGIMIYA S (KUGI-I); NODA Y (NODA-I); SHARP KK (SHAF)
Inventor: KUGIMIYA H; KUGIMIYA S; NODA Y; SHUZO K; YOSHIMUNE N
Patent Family (5 patents, 3 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
JP 11085706	A	19990330	JP 1997243019	A	19970908	199923	B
CN 1211011	A	19990317	CN 1998118881	A	19980907	199930	E
US 20010016854	A1	20010823	US 1998122991	A	19980728	200151	E
US 6336125	B1	20020101	US 1998122991	A	19980728	200207	E
CN 1120433	C	20030903	CN 1998118881	A	19980907	200550	E

Priority Applications (no., kind, date): JP 1997243019 A 19970908
Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
JP 11085706	A	JA	13	15	

Alerting Abstract ...in a document even if the document is not an existing document e.g. received electronic mail . DESCRIPTION OF DRAWING(S) - The figure shows the exterior perspective diagram of the application data...

Original Publication Data by Authority

Argentina

Assignee name & address:
Claims:
...plurality of different types of attributes used by said application, wherein said designating includes causing a pop-up menu to be displayed upon detection of removal of the input pen from the display after determining the character string, said...

...user with the input pen; transferring said character string to said data file to generate said data, wherein said transferring includes automatically deciding where to transfer said character string in said data file based on the attribute designated by said user, and maintaining said data file for use as an input data file for said application.

24/3,K/13 (Item 11 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0009246187 - Drawing available
WPI ACC NO: 1999-173664/199915
XRPX Acc No: N1999-127683
Electronic - mail (E - mail) distribution notification system - includes notice controller to perform automatic transmission of distributing notice to several mail user, when registration keyword is detected in receiving mail
Patent Assignee: NEC CORP (NIDE)
Inventor: YANAGIHARA Y
Patent Family (1 patents, 1 countries)
Patent Application
Number Kind Date Number Kind Date Update
JP 11027314 A 19990129 JP 1997187739 A 19970627 199915 B

Priority Applications (no., kind, date): JP 1997187739 A 19970627

Patent Details
Number Kind Lan Pg Dwg Filing Notes
JP 11027314 A JA 8 4

Electronic - mail (E - mail) distribution notification system...
... includes notice controller to perform automatic transmission of distributing notice to several mail user, when registration keyword is detected in receiving mail

Original Titles:
ELECTRONIC MAIL SYSTEM

Alerting Abstract ...NOVELTY - When an user distributes E - mail to several users (1A, 1B) a notice log file (15) comprising of a part of the E - mail as a keyword is registered using a notice controller (14). During receiving of an E - mail, the registered keyword is searched in the mail. The distributing notice of E - mail is automatically transmitted to the mail users, when the registered keyword is detected.
...

...ADVANTAGE - The E - mail system construction is simplified, thus improving implementation property. DESCRIPTION OF DRAWING(S) - The figure shows

Original Publication Data by Authority

Argentina

24/3,K/14 (Item 12 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2008 The Thomson Corporation. All rts. reserv.

0008655196 - Drawing available
WPI ACC NO: 1998-193035/199817
XRPX Acc No: N1998-152815
Watchdog system for monitoring operation of one or more units of final

wafer sort test equipment - has product-identifier field for identifying product-line or specific product within given product line to which tested wafer belongs
Patent Assignee: ADVANCED MICRO DEVICES INC (ADMI)
Inventor: CHEN S H; LEE C; SHIAU Y
Patent Family (1 patents, 1 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
US 5726920	A	19980310	US 1995537116	A	19950929	199817 B

Priority Applications (no., kind, date): US 1995537116 A 19950929

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 5726920	A	EN	27	6	

Original Publication Data by Authority

Argentina

Assignee name & address:
Original Abstracts:
...distributed to responsible personnel and/or reactive machine-systems as appropriate. The alarm distribution mechanism includes automatic paging of personnel by wireless beeper and/or e-mail. Immediate response alarms include exception conditions detected for accumulated bin counts on a per-wafer or per-lot basis. Long term alert reports include those that detect increased error rates and possible wear down of replaceable probe cards.
Claims:
?

17/3,K/7 (Item 7 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2008 European Patent Office. All rts. reserv.

01232796
Method and apparatus for use with E-mail
Verfahren und Apparat fur die Nutzung mit elektronischer Post
Procede et appareil pour utilisation avec du courrier electronique
PATENT ASSIGNEE:
CANAL+ Societe Anonyme, (1452151), 85/89 Quai Andre Citroen, 75711 Paris Cedex 15, (FR), (Applicant designated States: all)
INVENTOR:
Bayassi, Mulham, 28-30 rue Pradier, 75019 Paris, (FR)
LEGAL REPRESENTATIVE:
Cozens, Paul Dennis et al (72971), Mathys & Squire 100 Grays Inn Road, London WC1X 8AL, (GB)
PATENT (CC, No, Kind, Date): EP 1067741 A1 010110 (Basic)
EP 1067741 A9 010711
APPLICATION (CC, No, Date): EP 99401888 990723;
PRIORITY (CC, No, Date): EP 99401680 990705
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS (V7): H04L-012/58
ABSTRACT WORD COUNT: 97
NOTE:
Figure number on first page: 5

LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language Update Word Count
CLAIMS A (English) 200102 759
SPEC A (English) 200102 5844
Total word count - document A 6603
Total word count - document B 0
Total word count - documents A + B 6603

...SPECIFICATION a selected number of e-mails. For example, the user may be notified of each **e-mail** received by the mail centre, or the user may be notified only of the first **e-mail** received by the mail centre since the user last accessed the mail centre.
The invention has particular application in the broadcast of digital **data**, into which **additional information** may be readily **inserted**, and thus the broadcast signal is preferably a digital data stream preferably transmitted via a digital transmission system. As used herein, the **term** "digital transmission system" includes any transmission system for transmitting or broadcasting for example primarily audiovisual...

17/3,K/11 (Item 11 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2008 European Patent Office. All rts. reserv.

01417582
Using a mobile device to compose an electronic message that includes audio content
Erstellen einer Nachricht mit Audioinhalt mit einem Mobilgerat
Composition d'un message incluant un contenu audio au moyen d'un dispositif mobile
PATENT ASSIGNEE:
MICROSOFT CORPORATION, (749866), One Microsoft Way, Redmond, WA 98052, (US), (Applicant designated States: all)
INVENTOR:
Enns, Neil R. N., 17202 NE 85th Place, Apt. R236, Redmond, WA 98052, (US)
Ferrell, John Ian, 12950 NE 39th Street, Bellevue, WA 98005, (US)
LEGAL REPRESENTATIVE:
Grunecker, Kinkeldey, Stockmair & Schwanhausser Anwaltssozietat (100721), Maximilianstrasse 58, 80538 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 1198115 A2 020417 (Basic)
EP 1198115 A3 040728

APPLICATION (CC, No, Date): EP 2001124131 011010;
PRIORITY (CC, No, Date): US 239367 P 001011; US 773353 010131
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS (V7): H04L-012/58; G06F-017/60; H04M-001/725
ABSTRACT WORD COUNT: 135
NOTE:
Figure number on first page: 1

LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language Update Word Count
CLAIMS A (English) 200216 1811
SPEC A (English) 200216 3766
Total word count - document A 5577
Total word count - document B 0
Total word count - documents A + B 5577

...SPECIFICATION of the letters located on that key. Pressing "44 33 555 555 666" types the **word** "hello" - where spaces between numbers indicate relatively longer pauses between key presses. The number of...

...typical user.
SUMMARY OF THE INVENTION
The present invention allows a user to compose an **email** or **other** electronic message by **adding** audio **content** to the message. The user selects an option for **adding** the audio content and then speaks into a mobile device's audio input. As used in this application, the **term** "mobile device" should be interpreted broadly to encompass any type of portable and/or hand...

17/3,K/12 (Item 12 from file: 348)

01330958
Distributed data accessing technique
Verfahren zum verteilten Datenzugriff
Methode d'acces des donnees distribuees
PATENT ASSIGNEE:
CheckFree Corporation, (2907040), 4411 East Jones Bridge Road, Norcross, Georgia 30092, (US), (Applicant designated States: all)
INVENTOR:
Ganesan, Ravi, 5240 Blue Yarrow Run, Norcross, Georgia 30092, (US)
Harris, Mark Todd, 9330 Brumbelow, Crossing Way, Alpharetta, Georgia 30202, (US)
Dreyer, Hans Daniel, 495 Howland Drive, Gahanna Chio 43230, (US)
Wolfe, Kathryn Randall, 194 Patti Drive, Westerville, Chio 43081, (US)
LEGAL REPRESENTATIVE:
Schurack, Eduard F. et al (88021), Hofstetter, Schurack & Skora Balanstrasse 57, 81541 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 1136924 A1 010926 (Basic)
APPLICATION (CC, No, Date): EP 2000106123 000321;
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS (V7): G06F-017/60
ABSTRACT WORD COUNT: 122
NOTE:
Figure number on first page: 4

LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language Update Word Count
CLAIMS A (English) 200139 1661
SPEC A (English) 200139 8265
Total word count - document A 9926
Total word count - document B 0
Total word count - documents A + B 9926

...SPECIFICATION cross-sell events data, e.g., ad/offer viewed, ad/offer clicked, product/service purchased, **terms** & conditions viewed data, and **e-mail** created/read/deleted data.
The EPCS entity 58 will also process internal messages **related** to subscriber profile **data**, such as to **add**/modify/delete/read subscriber profile data, often as a function of the events listed above...

17/3,K/27 (Item 27 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2008 WIPO/Thomson. All rts. reserv.

01146318 **Image available**
GROUP BASED SPAM CLASSIFICATION
CLASSIFICATION DES POURRIELS PAR GROUPES
Patent Applicant/Assignee:
AMERICA ONLINE INC, 22000 AOL Way, Dulles, VA 20166, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
ALSPECTOR Joshua, 25813 Planting Field Drive, Chantilly, VA 20152, US, US (Residence), US (Nationality), (Designated only for: US)
KOLCZ Aleksander, 4401 Sedgehurst Dr. 302, Fairfax, VA 22033, US, US (Residence), PL (Nationality), (Designated only for: US)
CHOVDHURY Abdur, 2922 Elmsmeade Ct, Oakton, VA 22124, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
RENNER W Karl (agent), Fish & Richardson P.C., 1425 K Street, N.W, 11th Floor, Washington, DC 20005-3500, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 2004088287 A2-A3 20040812 (WO 0468287)
Application: WO 2004US1784 20040123 (PCT/WO US0401784)
Priority Application: US 2003442124 20030124; US 2003683426 20031014
Parent Application/Grant:
Related by Continuation to: US 2003683426 20031014 (CON)
Designated States:
(All protection types applied unless otherwise stated - for applications 2004+)
AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SY TJ TM TN TR TT TZ UA UG US (patent) UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PT RO SE SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) BW GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 12194

Fulltext Availability:
Detailed Description

Detailed Description
... conventional spain detection schemes, such as those based on matching exact textual strings in the **e-mail**. Usually, the core of the **e-mail** remains the same, with random or neutral text **added** to confuse such "exact-match" spam filters. Often the **extra text** is **inserted** in such- a way that it is not immediately visible to the users (e.g...

...has the same color as the background). Other randomization strategies of spammers include: appending random **character strings** to the subject line of the **e-mail**, changing the order of paragraphs, or randomizing the non-alphanumeric content.

Overview of **E-Mail** Classifier
FIG. 2 is a high-level functional block diagram of an e-mail server...

17/3,K/49 (Item 49 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT
(c) 2008 WPO/Thomson. All rts. reserv.

00361594 **Image available**
EVER READY TELEPHONIC ANSWERING MACHINE FOR RECEIVING AND DELIVERING ELECTRONIC MESSAGES
REPONDEUR TELEPHONIQUE TOUJOURS PRET, DESTINE A RECEVOIR ET A DELIVRER DES MESSAGES ELECTRONIQUES
Patent Applicant/Assignee:
WANG Kevin Kuan-Pin,
Inventor(s):
WANG Kevin Kuan-Pin,
Patent and Priority Information (Country, Number, Date):
Patent: WO 9701919 A1 **19970116**
Application: WO 96US11076 19960626 (PCT/WO US9611076)
Priority Application: US 95652 19950626
Designated States:
(Protection type is "patent" unless otherwise stated - for applications prior to 2004)
AL AM AT AU AZ BB BG BR BY CA CH CN CZ DE DK EE ES FI GB GE HU IL IS JP KE KG KP KR KZ LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK TJ TM TR TT UA UG US UZ VN YU ZW AM AZ BY KG KZ MD RU TJ TM AT BE CH DE DK ES FI FR GB GR IE IT LU MC NL PT SE BF BJ CF CG CI CM GA GN ML MR NE SN TD TG
Publication Language: English
Fulltext Word Count: 16109

Patent and Priority Information (Country, Number, Date):
Patent: ... **19970116**
Fulltext Availability:
Detailed Description
Publication Year: **1997**

Detailed Description
... where all
communication between the CPU and the fax/modem has to pass through the **e-mail** expansion card. In another **word**, the **e-mail** expansion card can encapsulate the fax/modem. In Fig. 19b, encapsulating can be achieved by providing a ribbon cable having printed traces on one side and non-conductive **material** on the **other** side. The modem card nevertheless is **inserted** into the bus slot but it does not communicate through the traces in the bus slot. Conventional methods can be applied as well where the **e-mail** expansion card and the internal modem card are connected via simple ribbon and connectors on each card.

In yet another embodiment of the invention, referring to Fig. 19d, the **e-mail** device 1130 is a stand-alone card having an slot connector 1144 able to receive...

25/3,K/1 (Item 1 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS

01673956
Method and system for associating actions with semantic labels in electronic documents
Verfahren und System um in elektronischen Dokumenten Aktionen mit semantischen Kennzeichnungen zu verbinden
Procede et systeme d'association des actions avec des etiquettes semantiques dans des documents electroniques
PATENT ASSIGNEE:
MICROSOFT CORPORATION, (749866), One Microsoft Way, Redmond, WA 98052, (US), (Applicant designated States: all)
INVENTOR:
Reynar, Jeffrey C., 23322 NE 138th Way, Woodinville, WA 98072, (US)
Sawicki, Marcin, 13110 102nd Lane, Unit 6, Kirkland, WA 98034, (US)
Jones, Brian M., 10630 181st Ave., NE, Redmond, WA 98052, (US)
Little, Robert A., 21007 NE 117th Street, Redmond, WA 98053, (US)
Pratley, Christopher H., 443 Halladay Street, Seattle, WA 98109, (US)
Broman, Paul, 14150 NE 20th Street #306, Bellevue, Washington 98007, (US)
LEGAL REPRESENTATIVE:
Grunecker, Kinkeldey, Stockmair & Schwanhausser Anwaltssozietat (100721)
Maximilianstrasse 58, 80538 München, (DE)
PATENT (CC, No, Kind, Date): EP 1376392 A2 040102 (Basic)
EP 1376392 A3 050622
APPLICATION (CC, No, Date): EP 2003012432 030530;
PRIORITY (CC, No, Date): US 184298 020627
DESIGNATED STATES: AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES; FI; FR; GB; GR; HU; IE; IT; LI; LU; MC; NL; PT; RO; SE; SI; SK; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK
INTERNATIONAL PATENT CLASS (V7): G06F-017/24; G06F-017/27
ABSTRACT WORD COUNT: 137
NOTE:
Figure number on first page: 1

LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language Update Word Count
CLAIMS A (English) 200401 1097
SPEC A (English) 200401 3667
Total word count - document A 4764
Total word count - document B 0
Total word count - documents A + B 4764

...SPECIFICATION and other desktop applications and/or web-based applications. Exemplary functions, features, and operations may include automatically addressing an e-mail message, performing a look up in a cooperating database, providing a hyperlink to one or...

...a string of text (e.g., a paragraph) entered into an electronic document to a **recognizer**. The **recognizer** parses the string for known **keywords** which are then compiled into semantic categories. Each recognized string is then labeled with the...

25/3,K/2 (Item 2 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS

01417721
An agent for integrated annotation and retrieval of images
Ein Agent zum integriertem Verfassen von Anmerkungen und Wederauffinden von Bildern
Un agent pour faire des annotations integrees et pour la recuperation d'images
PATENT ASSIGNEE:
EASTMAN KODAK COMPANY, (201212), 343 State Street, Rochester, New York 14650, (US), (Proprietor designated states: all)
INVENTOR:

Lieberman, Henry, Eastman Kodak Company, 343 State Street, Rochester, New York 14650-2201, (US)
Rosenzweig, Elizabeth, Eastman Kodak Company, 343 State Street, Rochester, New York 14650-2201, (US)
Singh, Pushpinder, Eastman Kodak Company, 343 State Street, Rochester, New York 14650-2201, (US)
Wood, Mark D., Eastman Kodak Company, 343 State Street, Rochester, New York 14650-2201, (US)
LEGAL REPRESENTATIVE:
Weber, Etienne Nicolas et al (91684), Kodak Industrie, Departement Brevets, CRT, Zone Industrielle, 71102 Chalon sur Saone Cedex, (FR)
PATENT (CC, No, Kind, Date): EP 1197879 A2 020417 (Basic)
EP 1197879 A3 030709
EP 1197879 B1 050727
APPLICATION (CC, No, Date): EP 2001203708 010928;
PRIORITY (CC, No, Date): US 685112 001010
DESIGNATED STATES: DE; FR; GB
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS (V7): G06F-017/30
ABSTRACT WORD COUNT: 137
NOTE:
Figure number on first page: 1

LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language Update Word Count
CLAIMS A (English) 200216 449
CLAIMS B (English) 200530 465
CLAIMS B (German) 200530 428
CLAIMS B (French) 200530 471
SPEC A (English) 200216 6088
SPEC B (English) 200530 6204
Total word count - document A 6538
Total word count - document B 7568
Total word count - documents A + B 14106

...SPECIFICATION the picture archive 14 may be manually or automatically annotated by the current set of **keywords extracted** by the language analyzer 22. For instance, an annotation agent 24 may be explicitly invoked...

...the annotation agent 24 may automatically augment the picture archive 14 with all of the **keywords extracted** by the language analyzer 22. In the latter case, **automatically extracted keywords** could be distinguished from manually **added keywords** by assigning a lower confidence rating to the automatically **extracted keywords**. While these components make up the annotation and retrieval integration agent 6, this subsystem is designed to be integrated into one or more target applications 2, such as an **email** application.
Figure 3 demonstrates the basic logic flow of a retrieval operation performed by the...

...SPECIFICATION the picture archive 14 may be manually or automatically annotated by the current set of **keywords extracted** by the language analyzer 22. For instance, an annotation agent 24 may be explicitly invoked...

...the annotation agent 24 may automatically augment the picture archive 14 with all of the **keywords extracted** by the language analyzer 22. In the latter case, **automatically extracted keywords** could be distinguished from manually **added keywords** by assigning a lower confidence rating to the automatically **extracted keywords**. While these components make up the annotation and retrieval integration agent 6, this subsystem is designed to be integrated into one or more target applications 2, such as an **email** application.
Figure 3 demonstrates the basic logic flow of a retrieval operation performed by the...

25/3,K/3 (Item 3 from file: 348)
DIALOG(R)File 348: EUROPEAN PATENTS

00976978
Full-text indexed mail repository
Volltextindizierte Nachrichtenspeicher
Depot des messages avec index complet
PATENT ASSIGNEE:
  Compaq Computer Corporation, (687792), 20555 S.H. 249, Houston Texas 77070, (US), (Proprietor designated states: all)
INVENTOR:
  Birrell, Andrew D., 313 Loucks Avenue, Los Altos, California 94022, (US)
  Schroeder, Michael, 10151 Western Drive, Cupertino, California 95014, (US)
  Wobber, Edward P., 460 Santa Monica Avenue, Menlo Park, California 94025, (US)
LEGAL REPRESENTATIVE:
  Charig, Raymond Julian (79692), Eric Potter Clarkson, Park View House, 58 The Ropewalk, Nottingham NG1 5DD, (GB)
PATENT (CC, No, Kind, Date): EP 886227 A1 981223 (Basic)
                             EP 886227 B1 031001
APPLICATION (CC, No, Date): EP 98110932 980615;
PRIORITY (CC, No, Date): US 876609 970616
DESIGNATED STATES: DE; FR; GB; IT; NL
RELATED DIVISIONAL NUMBER(S) - PN (AN):
  (EP 2002079143)
  (EP 2002079167)
INTERNATIONAL PATENT CLASS (V7): G06F-017/60; G06F-017/30
ABSTRACT WORD COUNT: 81
NOTE:
  Figure number on first page: 2

LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language Update Word Count
  CLAIMS A (English) 199852 324
  CLAIMS B (English) 200340 1261
  CLAIMS B (German) 200340 1251
  CLAIMS B (French) 200340 1457
  SPEC A (English) 199852 7798
  SPEC B (English) 200340 7859
Total word count - document A 8123
Total word count - document B 11828
Total word count - documents A + B 19951

...CLAIMS the plurality of files (420).
  12. The apparatus of claim 7 wherein the messages are parsed into words according to predetermined word separators (530).
  13. A method for accessing and organising electronic mail messages, comprising the steps of:
  storing mail messages in a first memory (400);
  storing a...

...and storing the labels and locations associated with the labels in a third memory (400) including automatically adding and removing labels to and from mail messages by the system and adding and removing...

25/3,K/4 (Item 4 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2008 European Patent Office. All rts. reserv.

00964952
Enhanced voice mail system and method for using it
Verbessertes Sprachnachrichtensystem und Verfahren zu deren Gebrauch
Systeme ameliore de messagerie vocale et methode d'utilisation
PATENT ASSIGNEE:
  NOKIA MOBILE PHONES LTD., (997966), Keilalahdentie 4, 02150 Espoo, (FI), (applicant designated states:
  AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE)
INVENTOR:
  Rautila, Heikki, Visamaki 5 A 9, 02130 Espoo, (FI)
  Kari, Janni, Tuohustie 9D, 00670 Helsinki, (FI)

LEGAL REPRESENTATIVE:
  Brax, Matti Juhani (85201), Berggren Oy Ab, P.O. Box 16, 00101 Helsinki, (FI)
PATENT (CC, No, Kind, Date): EP 876043 A2 981104 (Basic)
APPLICATION (CC, No, Date): EP 98660036 980424;
PRIORITY (CC, No, Date): FI 971801 970428
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE
INTERNATIONAL PATENT CLASS (V7): H04M-003/50; H04M-001/57;
ABSTRACT WORD COUNT: 104

LANGUAGE (Publication, Procedural, Application): English; English; Finnish
FULLTEXT AVAILABILITY:
Available Text Language Update Word Count
CLAIMS A (English) 9845 481
SPEC A (English) 9845 3038
Total word count - document A 3519
Total word count - document B 0
Total word count - documents A + B 3519

...SPECIFICATION message or try to remember it by heart.
If the voice mail system does not **include** the **automatic** dialling part, but the recipient's terminal equipment is a digital telephone or a modern...

...communicator, it can automatically detect the caller's telephone number from the short message or **e-mail** notification and to offer the recipient the possibility to call the number by a simple command. **Detecting** the telephone number from a **character string** notification is a simple and known artificial intelligence technique, in which the device seeks strings...

25/3,K/5 (Item 5 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2008 European Patent Office. All rts. reserv.

00754016
Non-literal textual search using fuzzy finite non-deterministic automata
Nicht wortgetreue Textauffindung mit vagen, nicht-deterministischen, endlichen Zustandsautomaten
Recherche de texte non-littérale avec des automates vagues non-déterministiques a etats finis
PATENT ASSIGNEE:
CANON KABUSHIKI KAISHA, (542361), 30-2, 3-chome, Shimomaruko, Chta-ku, Tokyo, (JP), (applicant designated states: DE;FR;GB)
INVENTOR:
Hunter, Kenneth M, 151A Saturn Street, San Francisco, California 94414, (US)
Roberts, Michael G., 950 High School Way, No. 3201, Mountain View, California 94041, (US)
Garland, Harry T., 27555 Purissima Road, Los Altos Hills, California 94022, (US)
LEGAL REPRESENTATIVE:
Beresford, Keith Denis Lewis et al (28273), BERESFORD & Co. 2-5 Warwick Court High Holborn, London WC1R 5DJ, (GB)
PATENT (CC, No, Kind, Date): EP 709788 A1 960501 (Basic)
APPLICATION (CC, No, Date): EP 95307602 951025;
PRIORITY (CC, No, Date): US 330968 941028
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS (V7): G06F-017/30;
ABSTRACT WORD COUNT: 116

LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language Update Word Count
CLAIMS A (English) EPAB96 689
SPEC A (English) EPAB96 14938
Total word count - document A 15627
Total word count - document B 0
Total word count - documents A + B 15627

...SPECIFICATION to be searched.
Existing archival and retrieval systems support a variety of search technologies. These **include automatic** or user defined indexing, key **word** annotation, automatic key **word extraction**, full text search, preprocessed indexing of some or all words or phrases in the text...

25/3,K/6 (Item 6 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2008 WPO/Thomson. All rts. reserv.

01162023 **Image available**
MULTI-MODAL WAREHOUSE APPLICATIONS
APPLICATION MULTIMODE POUR ENTREPOT
Patent Applicant/Assignee:
SAP AKTIENGESELLSCHAFT, Neurottstrasse 16, D-69190 Walldorf, DE, DE (Residence), DE (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
RAIYANI Samir, 965 E. El Camino Real #426, Sunnyvale, CA 94087, US, US (Residence), IN (Nationality), (Designated only for: US)
WENG Jie, 1121 Vasquez Ave., Sunnyvale, CA 94086, US, US (Residence), US (Nationality), (Designated only for: US)
GONG Li, 1828 15th Street, Apartment #3, San Francisco, CA 94103, US, US (Residence), CN (Nationality), (Designated only for: US)
LESSMOELLMANN Christoph, Pestalozzistr. 12-2, D-76669 Bad Schoenborn, DE, DE (Residence), DE (Nationality), (Designated only for: US)
ANDERSON Jordan, 153 Dekalb Avenue, Apt. 2R, Brooklyn, NY 11217, US, DE (Residence), US (Nationality), (Designated only for: US)
OR Wai, 21314 Gary Drive, #305, Hayward, CA 94546, US, US (Residence), US (Nationality), (Designated only for: US)
KWEK Ju-Kay, 1377 Post Street, #202, San Francisco, CA 94109, US, US (Residence), SG (Nationality), (Designated only for: US)
HANLEY John, 2466 Park Road, Redwood City, CA 94062, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
TROESCH Hans R (agent), 500 Arguello Street, Suite 500, Redwood City, CA 94063, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200484024 A2-A3 20040930 (WO 0484024)
Application: WO 2004US7724 20040312 (PCT/WO US04007724)
Priority Application: US 2003454762 20030314; US 2003470898 20030516; US 2003474217 20030530; US 2003743343 20031223; US 2003743348 20031223
Designated States:
(All protection types applied unless otherwise stated - for applications 2004)
AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PL PT RO SE SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) BW GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 42741

Fulltext Availability:
Detailed Description

Detailed Description
... recognize the state is narrowed to the states in the selected country, (ii) segmenting an **electronic mail** address or web site address so that a user supplies a domain identifier, such as, for example "com" separately, or (iii) **automatically inserting** the "at sign" and the "dot" into an **electronic mail** address and only prompting the user for the remaining tenns, thus obviating the often complex...

...voice recognition system also obviates the need to ask the user to spell out a **term** that is not **recognized** when spoken. For example, after a user enters "com" as a domain identifier in an **electronic mail**

address, the voice recognition system may include, for example, the names of all "Fortune 1...

...that a user supplies a domain identifier, such as, for example "corn," separately, or (iii) **automatically inserting** the "at sign" and the "dot" into an **electronic mail** address and only prompting the user for the remaining **terms**, thus obviating the often complex process of **recognizing** these spoken characters.

I/O Implementations also may increase recognition accuracy and speed by augmenting...

...voice recognition system also obviates the need to ask the user to spell out a **term** that is not **recognized** when spoken. For example, after a user enters "com7" as a domain identifier in an...

25/3,K/7 (Item 7 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2008 WIPO/Thomson. All rts. reserv.

01090110 **Image available**
APPARATUS, SYSTEM, AND METHOD FOR ALARM SYSTEMS
APPAREIL, SYSTEME ET PROCEDE POUR SYSTEMES D'ALARME
Patent Applicant/Assignee:
LASERSHIELD SYSTEMS INC, 5931 Sea Lion Place, Suite 114, Carlsbad, CA 92008, US, US (Residence), US (Nationality), (For all designated states except: US)
DEAKERS, 4444 Ocean Valley Lane, San Diego, CA 92130, US, US (Residence), US (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
DOHRMANN Anthony E, 1532 Sapphire Drive, Carlsbad, CA 92009, US, US (Residence), US (Nationality), (Designated only for: US)
KORALEK Richard W, 1925 Bryant Street, Palo Alto, CA 94301, US, US (Residence), US (Nationality), (Designated only for: US)
O'CONNER Clinton J, 760 Munevar Road, Cardiff by the Sea, CA 92007, US, US (Residence), US (Nationality), (Designated only for: US)
COULTER Richard I, 1320 Oak Ave., Los Altos, CA 94024, US, US (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
STARKWEATHER Michael W (agent), Kunzler & Associates, 8 East Broadway, Suite 600, Salt Lake City, UT 84101, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200412163 A2-A3 20040205 (WO 0412163)
Application: WO 2003US23679 20030728 (PCT/WO US03023679)
Priority Application: US 2002398792 20020729
Designated States:
(Protection type is "patent" unless otherwise stated - for applications prior to 2004)
AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NI NO NZ OM PH PL PT RO RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PT RO SE SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 38170

Fulltext Availability:
Detailed Description

Detailed Description
...e.g., name, signature, 1 5 etc.) that they have read, understand, and agree to the **terms** of the agreement, etc.

Monitoring Account Contact Information: Includes, for example, customer@ contact information, any serious medical conditions, whether ...

...Additional information includes, for example, contact information (e.g., name, address, phone numbers, fax numbers, email addresses, cell phone numbers, etc.) for individuals (e.g., three individuals) to be contacted in the event the purchasing consumer can not be located.

Automatic Billing Agreement: Includes, for example, the customer's contact and credit/debit card information, banking information for electronic c...

25/3,K/8 (Item 8 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2008 WIPO/Thomson. All rts. reserv.

01037438 **Image available**
USER INTERFACE AND DYNAMIC GRAMMAR IN A MULTI-MODAL SYNCHRONIZATION ARCHITECTURE
INTERFACE UTILISATEUR ET GRAMMAIRE DYNAMIQUE DANS UNE ARCHITECTURE DE SYNCHRONISATION MULTIMODALE
Patent Applicant/Assignee:
SAP AKTIENGESELLSCHAFT, Intellectual Property Department, Neurottstr. 16, 69190 Walldorf, DE, DE (Residence), DE (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
WENG Jie, 1121 Vasquez Ave., Sunnyvale, CA 94086, US, US (Residence), US (Nationality), (Designated only for: US)
GONG Li, 931 Dolores Street,, San Francisco, CA 94110, US, US (Residence), CN (Nationality), (Designated only for: US)
SWAN Richard, 400 Ramona Road,, Portola Valley, CA 94028, US, US (Residence), AU (Nationality), (Designated only for: US)
Legal Representative:
KIRKLAND MARK D (agent), Fish & Richardson P.C., 500 Arguello Street # 500, Redwood City, CA 94063, US,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200367443 A1 **20030814** (WO 0367443)
Application: WO 2003US3752 20030207 (PCT/WO US0303752)
Priority Application: US 2002354324 20020207; US 2002131216 20020425; US 2002383775 20020530; US 2002157030 20020530; US 2002184069 20020628; US 2002305267 20021127
Designated States:
(Protection type is "patent" unless otherwise stated - for applications prior to 2004)
AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PT SE SI SK TR
(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 29356

Patent and Priority Information (Country, Number, Date):
Patent: ... **20030814**
Fulltext Availability:
Detailed Description
Publication Year: **2003**

Detailed Description
... recognize the state is narrowed to the states in the selected country, (h) segmenting an electronic mail address or web site address so that a user supplies a domain identifier, such as, for example "corn," separately, or (iii) automatically inserting the "at sign" and the "dot" into an electronic mail address and only prompting the user for the remaining terms, thus obviating the often complex process of recognizing these spoken characters.

Implementations may also increase recognition accuracy and speed by

augmenting a grammar out a **term** that is not **recognized** when spoken. For example, after a user enters "corn" as a domain identifier in an...

25/3,K/9 (Item 9 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2008 WIPO/Thomson. All rts. reserv.

00980073
STORING AND ACCESSING PROFILE INFORMATION
SYSTEME PERMETTANT DE MEMORISER UNE INFORMATION DE PROFIL ET D'Y ACCEDER
Patent Applicant/Assignee:
BRITISH TELECOMMUNICATIONS PUBLIC LIMITED COMPANY, 81 Newgate Street, London EC1A 7AJ, GB, GB (Residence), GB (Nationality), (For all designated states except: US)
Patent Applicant/Inventor:
COLLINGRIDGE Robert John, 11 Dodson Vale, Kesgrave, Ipswich, Suffolk IP5 2GT, GB, GB (Residence), GB (Nationality), (Designated only for: US)
NEWBOULD Richard Eric, 8 Kelvin Road, Ipswich, Suffolk IP1 5EH, GB, GB (Residence), GB (Nationality), (Designated only for: US)
MARKWELL Colin Peter, 7 Kirby Close, Ipswich, Suffolk IP4 4PU, GB, GB (Residence), GB (Nationality), (Designated only for: US)
GOSLING Timothy David Brendon, 205 Colchester Road, Ipswich, Suffolk IP4 4SL, GB, GB (Residence), GB (Nationality), (Designated only for: US)
ANDREWS David Joseph, 34 Frederick Square, Rotherhithe, London SE16 5XR, GB, GB (Residence), GB (Nationality), (Designated only for: US)
Legal Representative:
LLYOD Barry George William (agent), BT Group Legal Services, Intellectual Property Department, Holborn Centre, 8th floor, 120 Holborn, London EC1N 2TE, GB,
Patent and Priority Information (Country, Number, Date):
Patent: WO 200309191 A2 **20030130** (WO 0309191)
Application: WO 2002GB3291 20020717 (PCT/WO GB0203291)
Priority Application: EP 2001306245 20010720
Designated States:
(Protection type is "patent" unless otherwise stated - for applications prior to 2004)
CA US
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LU MC NL PT SE SK TR
Publication Language: English
Filing Language: English
Fulltext Word Count: 6503

Patent and Priority Information (Country, Number, Date):
Patent: ... **20030130**
Fulltext Availability:
Detailed Description
Publication Year: **2003**

Detailed Description
... instance, analyse the user's bookmarks and suggest additional interests or keywords that could be **added**. The updating could either be done **automatically** or, preferably, with explicit user approval.

The following steps can be used to **extract** interest **keywords** from a set of bookmarks.

1. Retrieve a set of user bookmarks from the user Add the user-selected keywords to the user's **Keyword** Store 54.

Keywords could also be **extracted**, in a similar way, from **e**-mail correspondence to and from the user.

In a development of the invention, the profile server...

25/3,K/10 (Item 10 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2008 WIPO/Thomson. All rts. reserv.

00956984 **Image available**
CARRIER AND PACKAGE DELIVERY DESKTOP TOOLS

OUTILS DE BUREAU POUR TRANSPORTEURS ET POUR LA LIVRAISON DE PAQUETS
Patent Applicant/Assignee:
  UNITED PARCEL SERVICE OF AMERICA INC, 55 Glenlake Parkway, Northeast, Atlanta, GA 30328, US, US (Residence), US (Nationality)
Inventor(s):
  FREDERICK Kenneth Alan, 3810 Kamp Drive, Pleasanton, CA 94588, US,
Legal Representative:
  GRIFFIN III Malvern U (et al) (agent), Alston & Bird LLP, Bank of America Plaza, 101 South Tryon Street, Suite 4000, Charlotte, NC 28280-4000, US

Patent and Priority Information (Country, Number, Date):
  Patent: WO 200291130 A2-A3 **20021114** (WO 0291130)
  Application: WO 2002US14701 20020508 (PCT/WO US0214701)
  Priority Application: US 2001289688 20010508
Designated States:
(Protection type is "patent" unless otherwise stated - for applications prior to 2004)
  AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 3634

Patent and Priority Information (Country, Number, Date):
  Patent: ... **20021114**
Fulltext Availability:
  Detailed Description
Publication Year: **2002**

Detailed Description
... and initiating actions such as dialing a phone number, generating a label or sending an e-mail). Of particular note, the present invention can do this without leaving the application in which...

...MicroSoft Excel, Word or Outlook.
  The present invention can utilize Microsoft smart tags to automatically **recognize words**, **phrases**, numbers and patterns in a Microsoft. Excel, Word or Outlook document. For example, a tracking ...can be recognized. Smart tags work in a similar manner to that of the spell **check** feature in Microsoft **Word** by **adding** intelligence to applications to flag mistakes or **automatically** change them. With smart tags, however, an identified text string is flagged with some sort...

25/3,K/11 (Item 11 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2008 WIPO/Thomson. All rts. reserv.

00806384
NETWORK AND LIFE CYCLE ASSET MANAGEMENT IN AN E-COMMERCE ENVIRONMENT AND METHOD THEREOF
GESTION D'ACTIFS DURANT LE CYCLE DE VIE ET EN RESEAU DANS UN ENVIRONNEMENT DE COMMERCE ELECTRONIQUE ET PROCEDE ASSOCIE
Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US (Residence), US (Nationality)
Inventor(s):
  MIKURAK Michael G, 108 Englewood Blvd., Hamilton, NJ 08610, US,
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 38th Floor, 2029 Century Park East, Los Angeles, CA 90067-3024, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200139030 A2 **20010531** (WO 0139030)
  Application: WO 2000US32324 20001122 (PCT/WO US0032324)
  Priority Application: US 99444775 19991122; US 99447621 19991122
Designated States:

(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CU CZ DE DK DZ EE ES FI GB
  GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK
  MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN
  YU ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 171499

Patent and Priority Information (Country, Number, Date):
  Patent: ... **20010531**
Fulltext Availability:
  Detailed Description
Publication Year: **2001**

Detailed Description
... provides the switches of a telecommunication network with nine (9)
  different record formats. These records **include** : Call Detail Record
  (CDR), Expanded Call Detail Record (ECDR), Private Network Record (PNR),
  Expanded Private...
... Expanded Private Operator Service Record (EPOSR), and Switch Event
  Record (SER). Each record is 32 **words** in length, and the expanded
  version of each record is 64 words in length.

  Example...

 25/3,K/12 **(Item 12 from file: 349)**
DIALOG(R)File 349:PCT FULLTEXT
(c) 2008 WIPO/Thomson. All rts. reserv.

00789605 **Image available**
PROVIDING ADDRESS BOOK INFORMATION WHEN A LINK FOR AN ADDRESS IN E-MAIL IS SELECTED
FOURNITURE D'INFORMATIONS RELATIVES A UN REPERTOIRE D'ADRESSES EN CAS DE SELECTION D'UNE LIAISON AVEC UNE ADRESSE DANS UN COURRIER ELECTRONIQUE
Patent Applicant/Assignee:
  FUSIONONE INC, Suite 800, 55 Almaden Boulevard, San Jose, CA 95113, US,
    US (Residence), US (Nationality)
Inventor(s):
  JELLINEK Herbert D, 7175 Viewpoint Road, Aptos, CA 95003, US,
  RUDY Stephen M, 1631 Cowper Street, Palo Alto, CA 94301, US,
Legal Representative:
  HARMON William J (et al) (agent), Vierra Magen Marcus Harmon & Deniro
    LLP, Suite 540, 685 Market Street, San Francisco, CA 94105-4206, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200122291 A2-A3 **20010329** (WO 0122291)
  Application: WO 2000US25884 20000920 (PCT/WO US0025884)
  Priority Application: US 99155024 19990920; US 2000652761 20000831; US
    2000665438 20000919
Designated States:
(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)
  AU CA JP
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
Publication Language: English
Filing Language: English
Fulltext Word Count: 18265

Patent and Priority Information (Country, Number, Date):
  Patent: ... **20010329**
Fulltext Availability:
  Detailed Description
Publication Year: **2001**

Detailed Description
... such as 6GV99 4'from", "cc", and "sender" headers can obtain character

strings that are **e - mail** addresses. The criteria applied to other headers can obtain other types of character strings, such...

...in box 580, the IMS begins an iterative operation that handles, in each iteration, a **string** of **characters** **parsed** from the selected message.

Each iteration begins, in box 582, by determining whether the next parsed string is an **e - mail** address. If so, the IMS appends a hyperlink to the string in box 584, thus **automatically** **inserting** a selectable link. In WML, a hyperlink can include a URL and additional data. The...

...selected. Additional data included in the hyperlink can include several items extracted by parsing the **e - mail** address, such as an item for an entity's first name ("Herb" in box 532...

25/3,K/13 (Item 13 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2008 WIPO/Thomson. All rts. reserv.

00484847
A DATA ENCRYPTION SYSTEM FOR INTERNET COMMUNICATION
SYSTEME DE CHIFFREMENT DE DONNEES POUR TRANSMISSION PAR L'INTERNET
Patent Applicant/Assignee:
HALPERN John Wolfgang,
Inventor(s):
HALPERN John Wolfgang,
Patent and Priority Information (Country, Number, Date):
Patent: WO 9916199 A2 **19990401**
Application: WO 98GB2881 19980924 (PCT/WO GB9802881)
Priority Application: GB 9720478 19970925; GB 9820824 19980924
Designated States:
(Protection type is "patent" unless otherwise stated - for applications prior to 2004)
PL PT RU SE US AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
Publication Language: English
Fulltext Word Count: 4379

Patent and Priority Information (Country, Number, Date):
Patent: ... **19990401**
Fulltext Availability:
Detailed Description
Claims

Publication Year: **1999**

Claim
... the instant state
of the algorithm

9 An encryption and automatic renewal system for confidential E - Mail as in Claim 8,, whereinthe said circuit block (1) also contains mathematical processing meanst for example for **adding** or deducting a Pass, An encryption and **automatic** key renewal system for confidential E - Mail
as in any of the aforegoing claimso, and / or as shown and described in the...

...drawings and the Specification.

11 An encryption and automatic encryption key renewal system for confideatial E - Mail whereinthe output of the said pseudo-random data gene
rator is mixed with the as may be **recognised** in the expanded data **words** ,
. An encryption and automatic key renewal system for confidential E - Mail
w h e r e i n the basic functionality of the said algorithm circuit...
?